

Page 1/20

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Chloroform (stab./Ethanol)

• Article number: 0348

· Registration number

A registration number is not available for this substance as the substance or its uses are exempted from registration or the annual tonnage does not require a registration.

- 01-2119486657-20-XXXX
- UFI: 2U30-30RC-N00C-U4HV
- \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use
- SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- SU9 Manufacture of fine chemicals
- SU10 Formulation [mixing] of preparations and/or re-packaging (excluding alloys)
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- SU24 Scientific research and development

· Product category

- PC19 Intermediate
- PC21 Laboratory chemicals
- PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents
- PC29 Pharmaceuticals
- PC40 Extraction agents

· Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

- PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
- *PROC8b* Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)*PROC15* Use as laboratory reagent

· Environmental release category

ERC1 Manufacture of the substance

ERC6a Use of intermediate

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

• Application of the substance / the mixture

Chemical for research, development, manufacturing, laboratory chemical for analysis.

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Biosolve Chimie

20 Rue Roger Husson, 57260 Dieuze, France Tel: +33 3 878 675 80/81/82/83/84/85 Email: info@biosolvechimie.com

Biosolve B.V. Leenderweg 78, 5555 CE Valkenswaard, the Netherlands. Tel: +31-(0)40-2071300



Printing date 25.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

(Contd. of page 1)

Page 2/20

Trade name: Chloroform (stab./Ethanol)

Fax:+31-(0)40-2048537 Email: info@biosolve-chemicals.com

• Further information obtainable from: Product safety department.

• 1.4 Emergency telephone number: Contact list of appointed bodies for information relating to emergency health response, according to Art. 45(1) Reg. (EC) No 1272/2008. See below section 16 or at https://poisoncentres.echa.europa.eu/home. Help desk: http://echa.europa.eu/web/guest/support/helpdesks/national-helpdesks/list-of-nationalhelpdesks). Data from: ECHA - EUROPEAN CHEMICALS AGENCY For more information see section 16.

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

GHS06 skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



Carc. 2 H351 Suspected of causing cancer.

Repr. 2 H361d Suspected of damaging the unborn child.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. · Hazard pictograms



(Contd. on page 3)

EU



Printing date 25.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Page 3/20

Trade name: Chloroform (stab./Ethanol)

<i>.</i>	(Contd. of page 2)
• Signal word L	
• Hazard staten	
	ul if swallowed.
H331 Toxic	if inhaled.
H315 Causes	s skin irritation.
H319 Causes	s serious eye irritation.
H351 Suspec	eted of causing cancer.
	ted of damaging the unborn child.
	s damage to organs through prolonged or repeated exposure.
· Precautionary	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Additional inj	
	ustrial installations only.
· 2.3 Other haz	
· Results of PB	T and vPvB assessment
• PBT: Not app	
• vPvB: Not app	

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description
- 67-66-3 chloroform
- · Identification number(s)
- EC number: 200-663-8
- Index number: 602-006-00-4
- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

CAS: 67-66-3	chloroform	75-100%
EINECS: 200-663-8	Acute Tox. 3, H331; 🕹 Carc. 2, H351; Repr. 2, H361d;	
Index number: 602-006-00-4	♦ Acute Tox. 3, H331; ♦ Carc. 2, H351; Repr. 2, H361d; STOT RE 1, H372; ♦ Acute Tox. 4, H302; Skin Irrit. 2,	
Reg.nr.: 01-2119486657-20-XXXX	H315; Eye Irrit. 2, H319, EUH301	
CAS: 64-17-5	Ethyl alcohol	≤2.5%
EINECS: 200-578-6	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319	
Index number: 603-002-00-5	• I · · • • • · ·	
Reg.nr.: 01-2119457610-43-XXXX		



Page 4/20

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Trade name: Chloroform (stab./Ethanol)

(Contd. of page 3)

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- After inhalation:
- Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · *Protective equipment:* Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

- · 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 5)

EU



Printing date 25.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Trade name: Chloroform (stab./Ethanol)

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

· Information about fire - and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles:

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 67-66-3 chloroform

IOELV Long-term value: 10 mg/m³, 2 ppm Skin

· DNELs

67-66-3 Worker DNEL, acute Systemic effects inhalation 333 mg/m³ Worker DNEL, longterm Systemic effects inhalation 2,5 mg/m³ Worker DNEL, longterm Systemic effects dermal 0,94 mg/kg Body weight Worker DNEL, longterm Local effects inhalation 2,5 mg/m³ Consumer DNEL, longterm Systemic effects inhalation 0,18 mg/m³ · PNECs 67-66-3 PNEC Fresh water 0,146 mg/l PNEC Fresh water sediment 0,45 mg/kg PNEC Marine water 0,015 mg/l PNEC Marine sediment 0,09 mg/kg PNEC Aquatic intermittent release 0,133 mg/l PNEC Soil 0,56 mg/kg PNEC Sewage treatment plant 0,048 mg/l • Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

(Contd. on page 6)

(Contd. of page 4)

Page 5/20

[—] EU



Printing date 25.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Trade name: Chloroform (stab./Ethanol)

(Contd. of page 5)

Page 6/20

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.

· Respiratory protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Fluorocarbon rubber (Viton)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material Full contact: Glove material: Viton (R) Glove thickness: 0,70 mm Break through time: > 480 min

Splash contact: Glove material: butyl-rubber Glove thickness: 0,7 mm Break through time: > 10 min The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

(Contd. on page 7)



Printing date 25.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

(Contd. of page 6)

Page 7/20

Trade name: Chloroform (stab./Ethanol)

Safety glasses



*

Tightly sealed goggles

· Body protection: Protective work clothing

• Environmental exposure controls Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical p	properties
· General Information	
· Physical state	Fluid
· Colour:	Colourless
· Odour:	Chlorine-like
· Odour threshold:	84,9 - 201,5 ppm
• Melting point/freezing point:	-63 °C
· Boiling point or initial boiling point and boiling	
range	62 °C
· Flammability	Product is not flammable.
Lower and upper explosion limit	
· Lower:	Not classified as explosive
· Upper:	Not classified as explosive
· Flash point:	does not flash
• Auto-ignition temperature:	982 °C
• Decomposition temperature:	Distillable in an undecomposed state at normal
	pressure.
· pH	Insoluble in water, thus, pH cannot be measured.
· Viscosity:	-
Dynamic at 20 °C:	0.56 mPas
Solubility	
water at 20 °C:	8 g/l
· Partition coefficient n-octanol/water (log value)	2
· Vapour pressure at 20 °C:	210 hPa
· Density and/or relative density	
· Density at 20 °C:	1.47 g/cm^3
· Relative density	1.492 at 25 °C
· Vapour density	No data available
· 9.2 Other information	
· Appearance:	
· Form:	Fluid
	(Contd. on page 8)

1

- EU



Printing date 25.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Trade name: Chloroform (stab./Ethanol)

	(Contd. of pa	
Important information on protection of heal	th and	
environment, and on safety.		
Ignition temperature: Product is not selfigniting.		
Explosive properties:	Product does not present an explosion hazard.	
Solvent content:		
Organic solvents:	1.0 %	
Solids content:	0.0 %	
Molecular weight	119 g/mol	
Change in condition	-	
Softening point/range		
Oxidising properties	Non oxidizer.	
Evaporation rate	No data available	
Information with regard to physical hazard of	alassas	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Voia Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
0	Void	
Pyrophoric solids Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm		
	uoie Void	
gases in contact with water	Void	
Oxidising liquids Oxidising solids	Void Void	
Oxidising solids	Vola Void	
Organic peroxides		
Corrosive to metals	Void	
Desensitised explosives	Void	
Molecular Weight	119.38	
Molecular Formula	CHCl3	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 9)

EU

Page 8/20



Printing date 25.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Trade name: Chloroform (stab./Ethanol)

(Contd. of page 8)

Page 9/20

SECTION 11: Toxicological information

SECTIO		Acological information
· Acute toxi	city	hazard classes as defined in Regulation (EC) No 1272/2008
Harmful if		
Toxic if inl	haled.	
· LD/LC50	values rele	vant for classification:
CAS: 67-6	6-3 chloroj	form
Oral	LD50	908 mg/kg (rat)
Dermal	LD50	75 mg/kg (rat)
Inhalative	LC50/4 h	3 mg/l (ATE)
· Skin corro	sion/irritat	tion Causes skin irritation.
· Serious ey	e damage/i	irritation Causes serious eye irritation.
· Respirator	y or skin s	ensitisation Based on available data, the classification criteria are not met.
· Germ cell	mutagenic	<i>ity</i> Based on available data, the classification criteria are not met.
· Carcinoge	nicity Susp	ected of causing cancer.
· Reproduct	ive toxicity	Suspected of damaging the unborn child.
· STOT-sing	gle exposur	<i>re</i> Based on available data, the classification criteria are not met.
		sure Causes damage to organs through prolonged or repeated exposure.
		used on available data, the classification criteria are not met.
		other hazards
· Endocrine	disrupting	properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 10)

EU



Printing date 25.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Trade name: Chloroform (stab./Ethanol)

(Contd. of page 9)

Page 10/20

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP4 Irritant - skin irritation and eye damage

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

HP6 Acute Toxicity

HP7 Carcinogenic

HP10 Toxic for reproduction

• Uncleaned packaging:

×

• *Recommendation: Disposal must be made according to official regulations.*

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1888	
· 14.2 UN proper shipping name · ADR · IMDG, IATA	UN1888 CHLOROFORM CHLOROFORM	
· 14.3 Transport hazard class(es)		
· ADR		
· Class	6.1 (T1) Toxic substances.	
· Label	6.1	
· IMDG, IATA		
· Class	6.1 Toxic substances.	
· Label	6.1	
· 14.4 Packing group · ADR, IMDG, IATA	III	



Page 11/20

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Trade name: Chloroform (stab./Ethanol)

	(Contd. of page 1
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Toxic substances.
· Hazard identification number (Kemler code):	60
EMS Number:	F-A,S-A
· Segregation groups	Liquid halogenated hydrocarbons
· Stowage Category	A
· Stowage Code	SW2 Clear of living quarters.
• 14.7 Maritime transport in bulk according to IM instruments	IO Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
\cdot Excepted quantities (\widetilde{EQ})	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· Transport category	2

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category H2 ACUTE TOXIC

 \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t

 \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

• **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 32

· Regulation (EU) No 649/2012

CAS: 67-66-3 chloroform

Annex I Part 1

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 12) EU



Page 12/20

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Trade name: Chloroform (stab./Ethanol)

(Contd. of page 11)

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

EUH301 For use in industrial installations only.

· Department issuing SDS: Product safety department

· Contact:

Austria German Vergiftungsinformations] zentrale 01 406 43 43 http://www.goeg.at/de/VIZ

Belgium French Centre antipoison 070 245 245 http://www.centreantipoisons.be

Dutch Antigif centrum 070 245 245 http://www.antigifcentrum.be

German Giftinformationszentrum 070 245 245 http://www.poisoncentre.be

Bulgaria* Bulgarian Токсикологични центрове 02 9154 411 https://pirogov.eu/bg

Croatia* Croatian Centar za kontrolu otrovanja +385 1 2348 342 https://www.imi.hr/en/jedinica/poison-control-centre

Czech Rep Czech Toxikologické informační středisko +420 224 91 92 93; +420 224 91 54 02 http:// www.tis-cz.cz

Denmark Danish Giftlinien +45 8212 1212 https://www.bispebjerghospital.dk/giftlinien

Estonia Estonian Mürgistusteabekeskus 16662; +372 7943 794 https://www.16662.ee

Finland Finnish Myrkytystietokeskus 0800 147 111; +358 9 471 977 http://www.hus.fi/sairaanhoito/ sairaanhoitopalvelut/myrkytystietokeskus/Sivut/default.aspx

France French Angers +33 2 41 48 21 21 http://www.centres-antipoison.net/angers/index.html

Bordeaux +33 5 56 96 40 80 http://www.centres-antipoison.net/bordeaux/index.html

Lille +33 0800 59 59 59 http://www.centres-antipoison.net/lille/index.html

Lyon +33 4 72 11 69 11 http://www.centres-antipoison.net/lyon/index.html

Marseille +33 4 91 75 25 25 http://www.centres-antipoison.net/marseille/index.html

Nancy +33 3 83 22 50 50 http://www.centres-antipoison.net/nancy/index.html

Paris +33 1 40 05 48 48 http://www.centres-antipoison.net/paris/index.html

Strasbourg +33 3 88 37 37 37 http://www.centres-antipoison.net/strasbourg/index.html Toulouse +33 5 61 77 74 47 http://www.centres-antipoison.net/toulouse/index.html

Germany German Berlin +49 30 19240 https://giftnotruf.charite.de

(Contd. on page 13)



Page 13/20

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Trade name: Chloroform (stab./Ethanol)

(Contd. of page 12) Bonn +49 228 19240 http://www.gizbonn.de/index.php?id=272 Erfurt +49 361 730730 https://www.ggiz-erfurt.de/home.html Freiburg +49 761 19240 https://www.uniklinik-freiburg.de/giftberatung.html Göttingen +49 551 19240 https://www.giz-nord.de/cms/index.php Homburg/Saar +49 6841 19240 http://www.uniklinikumsaarland.de/de/einrichtungen/ kliniken_institute/kinder_und_jugendmedizin/ informations_und_behandlungszentrum_fuer_vergiftungen_des_saarlandes Mainz +49 6131 19240 http://www.giftinfo.uni-mainz.de/index.php?id=24807 München +49 89 19240 http://www.toxinfo.med.tum.de Greece Greek κέντρο δηλητηριάσεων +30 213 200 9000 http://www.aglaiakyriakou.gr/; http:/ /0317.syzefxis.gov.gr Hungary Hungarian Egészségügyi Toxikológiai Tájékoztató Szolgálat +36 6 80 20 11 99; +36 06 1 476 6464 http://www.okbi.hu/page.php?trid=1&dz=103 Italy Italian Bergamo +39 800 88 33 00 http://www.asst-pg23.it/section/259/Tossicologia -Centro antiveleni Firenze +39 55 794 78 19 http://www.antiveleni.altervista.org Milano +39 2 661 01 029 http://www.centroantiveleni.org Pavia +39 382 244 44 http://www-3.unipv.it/reumatologia-tossicologia/cav Napoli +39 81 747 28 70 Foggia +39 881 732 326 Roma +39 6 685 93 726 / +39 6 499 78 000 / +39 6 305 43 43http://www.corso-primo-soccorso*roma.it/centri* antiveleno-lazio.html Ireland English Poisons information Centre of Ireland +353 1 809 21 66 http://www.poisons.ie/Public Latvia* Latvian Saindēšanās informācijas centri +371 670 00 610 https://www.aslimnica.lv/lv Russian Латвия +371 67000610 https://www.aslimnica.lv/lv Lithuania Lithuanian Apsinuodijimų informacijos biuras + 370 5 236 20 52 http://www.apsinuodijau.lt Luxembourg German Giftinformationszentrum +49 800 255 00 http://www.poisoncentre.be French Centre antipoison +352 800 255 00 http://www.centreantipoisons.be Netherlands Dutch 31 (0)88 755 8 https://www.productnotificatie.nl Norway Norwegian Giftinformasjonen +47 22 59 13 00 https://helsenorge.no/Giftinformasjon Poland Polish Kraków +48 12 411 99 99 http://www.oit.cm.uj.edu.pl Gdansk +48 58 682 04 04 http://www.pctox.pl/news.php Poznań +48 61 847 69 46 http://www.raszeja.poznan.pl/oddzialy/oddzial toksykologiczny Warszawa +48 607 218 174 okzit@burdpi.pol.pl Portugal Portuguese Centro de Informação Antivenenos +351 808 250 143 http://www.inem.pt Romania Romanian CNMRMC +40 213 183 606 infotox@insp.gov.ro Spitalul Clinic de Urgenta Bucuresti +40 215 992 300 int. 291 spital@urgentafloreasca.ro Spitalul Clinic Judetean de Urgenta Targu Mures +40 265.212.111 *secretariat*@*spitjudms.ro* Russia Russian Горячая линия Министерства здравоохранения +7 495 628 4453; +7 495 627 2944 http://rospotrebnadzor.ru Serbia Serbian Nacionalni centar za kontrolu trovanja +381 11 3608 440 http://www.vma.mod.gov.rs/sr-lat/ specijalnosti/centri/nacionalni-centar-za-kontrolu-trovanja Slovak Rep Slovak Národné toxikologické informačné centrum +421 2 5477 4166 http://www.ntic.sk Spain Spanish Servicio de Información Toxicológica +34 91 562 04 20 https:// www.administraciondejusticia.gob.es/paj/pub lico/ciudadano/informacion institucional/organismos/ instituto nacional de toxicologia y ciencias fo renses/servicios/info toxicologica/que es sit/!ut/p/ (Contd. on page 14)



Printing date 25.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Page 14/20

Trade name: Chloroform (stab./Ethanol)

(Contd. of page 13) c5/04 SB8K8xLLM9MSSzPy8xBz9CP0os3g A1cjCyd DRwMDUwNLA08nwzAvM0czA 8gM6B8pFm8mae r *qWdQsImJcaiLiYGncViYa4CHr4GBiQExug1wAEd CusNBrsWpwsLUACKPy3WuRvjlg83wy5sQ0G8C tR*w 8 8 n N T 9 Q t y Q y M M M j 0 z A 9 I V F Q H Y 1 8 l 4 / d l 3 / d 3 / Р $L2\overline{d}J\overline{Q}SEvUUt3QS9ZQnZ3LzZfTjBFMjhCMUEwMDUwQT \square BJQjFWSjZBNjBPTjA!/?itemId=45381$ Sweden Swedish Giftinformationscentralen +46 10 456 6700 https://giftinformation.se Switzerland German Giftinformationszentrum 145 http://toxinfo.ch French Centre antipoison 145 http://toxinfo.ch Italian Centro Antiveleni 145 http://toxinfo.ch United Kingdom English NHS Helpline 111 NHS Helpline - England and Wales: http://www.nhs.uk/ NHSEngland/AboutNHSservices/Emergencyandurgentcareservices/Pages/NHS-111.aspx • Date of previous version: 19.10.2022 • Version number of previous version: 6 · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 3: Acute toxicity - Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Carc. 2: Carcinogenicity - Category 2 Repr. 2: Reproductive toxicity - Category 2 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 • * Data compared to the previous version altered.

(Contd. on page 15)



Page 15/20

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Trade name: Chloroform (stab./Ethanol)

(Contd. of page 14)

Annex: Exposure scenario

• Short title of the exposure scenario · Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites SU9 Manufacture of fine chemicals *SU10* Formulation [mixing] of preparations and/or re-packaging (excluding alloys) SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) SU24 Scientific research and development · Product category PC19 Intermediate PC21 Laboratory chemicals PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents PC29 Pharmaceuticals PC40 Extraction agents · Process category PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities *PROC9* Transfer of substance or mixture into small containers (dedicated filling line, including weighing) PROC15 Use as laboratory reagent · Environmental release category ERC1 Manufacture of the substance *ERC6a* Use of intermediate ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor) · Notes The product is intended for professional use. · Description of the activities / processes covered in the Exposure Scenario 67-66-3 1. Industrial use Reagent for analysis) Sectors of end-use SU 3 Industrial uses: Uses of substances as such or in preparations at industrial sites SU9 Manufacture of fine chemicals SU10 Formulation [mixing] of preparations and/ or re-packaging (excluding alloys) Chemical product category PC19 Intermediate PC21 Laboratory chemicals Process categories PROC1 Use in closed process, no likelihood of exposure PROC2 Use in closed, continuous process with occasional controlled exposure PROC3 Use in closed batch process (synthesis or formulation) PROC8a Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities (Contd. on page 16)



Page 16/20

EU

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Trade name: Chloroform (stab./Ethanol)

(Contd. of page 15) PROC8b Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at *dedicated facilities* PROC9 Transfer of substance or preparation into small containers (dedicated filling line, including weighing) PROC15 Use as laboratory reagent Environmental Release Categories ERC1 Manufacture of substances ERC6a Industrial use resulting in manufacture of another substance (use of intermediates) 2. Professional use Reagent for analysis) Sectors of end-use SU 22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Chemical product category PC21 Laboratory chemicals Process categories PROC15 Use as laboratory reagent Environmental Release Categories ERC6a Industrial use resulting in manufacture of another substance (use of intermediates) ERC8a Wide dispersive indoor use of processing aids in open systems · Conditions of use • Duration and frequency Frequency of use: · Worker 66-67-3 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC8a, PROC8b, PROC9, PROC15 Product characteristics Concentration of the Substance in Covers the percentage of the substance in the product up to Mixture/Article 100 %. Physical Form (at time of use) High volatile liquid Frequency and duration of use Frequency of use 8 hours/day Other operational conditions affecting workers exposure Outdoor / Indoor Indoor with local exhaust ventilation (LEV) Outdoor / Indoor Outdoor Technical conditions and measures Provide extraction ventilation at points where emissions occur. Organisational measures to prevent /limit releases, dispersion and exposure Covers daily exposures up to 8 hours. Conditions and measures related to personal protection, hygiene and health evaluation (Contd. on page 17)



Page 17/20

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Trade name: Chloroform (stab./Ethanol)

(Contd. of page 16) Wear suitable gloves (tested to EN374), coverall and eve protection. Wear respiratory protection. · Environment Indoor use Do not allow contact to soil, surface water and ground water. 67-66-3 Contributing scenario controlling environmental exposure for: ERC1 Amount used Daily amount per site (Msafe) 829.589 kg Environment factors not influenced by risk management Dilution Factor (River) 10 Dilution Factor (Coastal Areas) 100 Other given operational conditions affecting environmental exposure Number of emission days per year 365 Emission or Release Factor: Air 0,07 % Emission or Release Factor: Water 0.006 % Conditions and measures related to municipal sewage treatment plant Type of Sewage Treatment Plant Municipal sewage treatment plant Flow rate of sewage treatment 10.000 *m3/d plant effluent* Percentage removed from waste 85,6 % water Sludge Treatment Sewage sludge should not be applied to natural soils. Conditions and measures related to external treatment of waste for disposal Disposal methods All liquid and solid waste should be incinerated. 67-66-3 Contributing scenario controlling environmental exposure for: ERC6a Amount used Daily amount per site (Msafe) 4.800 kg Environment factors not influenced by risk management Dilution Factor (River) 10 Dilution Factor (Coastal Areas) 100 Other given operational conditions affecting environmental exposure Number of emission days per year 300 Emission or Release Factor: Air 0.5 % Emission or Release Factor: Water 0,7 % Conditions and measures related to municipal sewage treatment plant Type of Sewage Treatment Plant Municipal sewage treatment plant Flow rate of sewage treatment 10.000 *m3/d plant effluent* Percentage removed from waste 85,6 % water

(Contd. on page 18)



Page 18/20

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Trade name: Chloroform (stab./Ethanol)

Sludan	Treatment Sewage sludge should not be applied to natural soils.	(Contd. of page 1
Sludge	rrealment sewage studge should not be applied to natural solis.	
	ons and measures related to external treatment of waste for disposal	
	I methods All liquid and solid waste should be incinerated.	
67-66-3		
Contril	uting scenario controlling environmental exposure for: ERC8b	
Amoun	used	
Daily a	mount per site (Msafe) 5 kg	
Enviror	ment factors not influenced by risk management	
	n Factor (River) 10	
	n Factor (Coastal Areas) 100	
Other a	iven operational conditions affecting environmental exposure	
	of emission days per year 365	
Conditi	ons and measures related to municipal sewage treatment plant	
	Sewage Treatment Plant none	
Conditi	ons and measures related to external treatment of waste for disposal	
	I methods All liquid and solid waste should be incinerated.	
Physica	I parameters See section 9 to the Safety Data Sheet.	
Physice	I state Fluid	
Concer	tration of the substance in the mixture	
Raw ma	iterial.	
	the percentage of the substance in the product up to 100 %.	
	nount per time or activity	
	ing to directions for use.	
	the percentage of the substance in the product up to $100~\%$	
	perational conditions Observe the general safety regulations when handling a	chemicals.
	perational conditions affecting environmental exposure	
	e section 6 of the Safety Data Sheet (Accidental release measures).	
	perational conditions affecting worker exposure	
	ontact with eyes.	
	ontact with the skin.	
	breathe gas/vapour/aerosol.	
	irect contact with the chemical /product / preparation by organisational meas	sures.
	required during a shift	
	wear safety goggles during mechanical processing (grinding, sawing /cutting,	drilling, milling).
	inagement measures	
	protection Observe section 7.1 and 8.1-8.2 of the Safety Data Sheet	
	sational protective measures	
	only trained chemical workers.	
Avoid c	ontact with drinking water and / or food during application.	(Contd. on page 1



Page 19/20

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Trade name: Chloroform (stab./Ethanol)

(Contd. of page 18) Ensure that activities are executed by specialists or authorised personnel only. Ensure that the working area is organised, well lit and ventilated, with enough space to handle spilled product. Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the solvent vapour concentration below the workplace limit, wear an adequate respiratory protective device. Consider section 4 of the Safety Data Sheet (First aid measures). Technical protective measures Ensure that suitable extractors are available on processing machines Ensure good ventilation/exhaustion at the workplace. Store in cool, dry place in tightly closed receptacles. · Personal protective measures Do not inhale gases / fumes / aerosols. Avoid contact with the skin. Avoid contact with the eyes. Pregnant women should strictly avoid inhalation or skin contact. Tightly sealed goggles Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8. · Environmental protection measures · Air Exhaust air is introduced into the gas scrubber. • Water Do not allow to reach ground water, water bodies or sewage system, not even in small quantities. · Soil Prevent contamination of soil. • *Notes* In case of unintended release of the product: See section 6 of the Safety Data Sheet. · Disposal measures Ensure that waste is collected and contained. Disposal must be made according to official regulations. · Disposal procedures Must not be disposed together with household garbage. Do not allow product to reach sewage system. · Waste type Partially emptied and uncleaned packaging · Exposure estimation · Worker (dermal) Detailed information on the exposure estimation can be found at http://www.ecetoc.org/tra. 67-66-3 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC8a, PROC8b, (Contd. on page 20) EU



Printing date 25.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Trade name: Chloroform (stab./Ethanol)

PROC9, PROC15

(Contd. of page 19)

EU

Page 20/20

Exposure duration, route, effect: longterm, combined, systemic The exposure estimation was carried out in accordance with ECETOC TRA. The calculated value is smaller than the DNEL. Risk Characterization ratio <1

· Environment

A chemical safety assessment was performed according REACH Article 14(3), Annex I, sections 3 (Environmental Hazard assessment) and 4 (PBT/vPvB Assessment). As no hazard was identified, an exposure assessment and risk characterization is not necessary (REACH Annex I section 5.0).

• **Consumer** Not relevant for this Exposure Scenario.

 \cdot Guidance for downstream users

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).