

Page 1/16

Revision: 23.01.2024

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2024

Version number 7 (replaces version 6)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: HYDROQUANT®UNISOLVENT-K
- · Article number: 0867
- · Registration number

A registration number is not available for this substance as the substance or its uses are exempted from registration or the annual tonnage does not require a registration.

- · UFI: 0TH0-H0Y9-W002-QPHM
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Laboratory chemical for analysis.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Biosolve Chimie

20 Rue Roger Husson, 57260 Dieuze, France Tel: +33 3 878 675 80/81/82/83/84/85

Email: info@biosolvechimie.com

Biosolve B.V.

Leenderweg 78, 5555 CE Valkenswaard, the Netherlands.

*Tel:* +31-(0)40-2071300 *Fax:*+31-(0)40-2048537

Email: info@biosolve-chemicals.com

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Contact list of appointed bodies for information relating to emergency health response, according to Art. 45(1) Reg. (EC) No 1272/2008.

See below section 16 or at https://poisoncentres.echa.europa.eu/home.

Help desk: http://echa.europa.eu/web/guest/support/helpdesks/national-helpdesks/list-of-national-helpdesks).

Data from: ECHA - EUROPEAN CHEMICALS AGENCY

For more information see section 16.

### SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS06 skull and crossbones

Acute Tox. 2 H310 Fatal in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.

(Contd. on page 2)



Page 2/16

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2024 Version number 7 (replaces version 6) Revision: 23.01.2024

Trade name: HYDROQUANT®UNISOLVENT-K

(Contd. of page 1)



### GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.

Repr. 2 H361d Suspected of damaging the unborn child.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.



Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eve Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

#### · 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS02

GHS06

### · Signal word Danger

#### · Hazard statements

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H331 Toxic if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child.

H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

#### · Precautionary statements

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P330 Rinse mouth.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

(Contd. on page 3)



Page 3/16

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2024 Version number 7 (replaces version 6) Revision: 23.01.2024

### Trade name: HYDROQUANT®UNISOLVENT-K

(Contd. of page 2)

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

For use in industrial installations only. Restricted to professional users.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-66-3 EINECS: 200-663-8 Index number: 602-006-00-4 Reg.nr.: 01-2119486657-20-XXXX	chloroform	50-75%
CAS: 107-98-2 EINECS: 203-539-1 Index number: 603-064-00-3	<i>1-methoxy-2-propanol ♦ Flam. Liq. 3, H226; ♠ Acute Tox. 3, H331; ♦ STOT SE 3, H336</i>	25-50%
CAS: 75-89-8 EINECS: 200-913-6	2,2,2-trifluoroethanol ♦ Flam. Liq. 3, H226; ♦ Acute Tox. 3, H301; ♦ Acute Tox. 4, H312	2.5-10%
CAS: 101023-55-6	Imidazole hydrobromide  •• Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	≤2.5%

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

*Immediately remove any clothing soiled by the product.* 

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 4)



Page 4/16

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2024 Version number 7 (replaces version 6) Revision: 23.01.2024

Trade name: HYDROQUANT®UNISOLVENT-K

(Contd. of page 3)

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 5)



Page 5/16

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2024 Version number 7 (replaces version 6) Revision: 23.01.2024

Trade name: HYDROQUANT®UNISOLVENT-K

(Contd. of page 4)

Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

CAS: 67-66-3 chloroform

IOELV Long-term value: 10 mg/m³, 2 ppm

Skin

CAS: 107-98-2 1-methoxy-2-propanol

IOELV Short-term value: 568 mg/m³, 150 ppm

Long-term value: 375 mg/m³, 100 ppm

Skin

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several

(Contd. on page 6)



Page 6/16

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2024 Version number 7 (replaces version 6) Revision: 23.01.2024

Trade name: HYDROQUANT®UNISOLVENT-K

(Contd. of page 5)

substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Physical stateColour:FluidYellowish

· Odour:

Odour threshold: No data available.
Melting point/freezing point: No data available.

· Boiling point or initial boiling point and boiling

range 56 °C · Flammability Flammable.

Lower and upper explosion limit

Lower: 2.3 Vol %
 Upper: 20 Vol %
 Flash point: 23 - 60 °C
 Auto-ignition temperature: 270 °C

• Decomposition temperature: No data available • nH No data available

· Viscosity:

· **Dynamic:** Not determined.

· Solubility

• water: Fully miscible.
• Partition coefficient n-octanol/water (log value)
• Vapour pressure at 20 °C: Fully miscible.

No data available 210 hPa

· Vapour pressure at 20 °C: · Density and/or relative density

• **Density at 20 °C:** 1.25 g/cm<sup>3</sup>

Relative density
Vapour density
No data available
No data available

· 9.2 Other information

· Appearance:

· Form: Solution

(Contd. on page 7)



Page 7/16

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2024 Version number 7 (replaces version 6) Revision: 23.01.2024

Trade name: HYDROQUANT®UNISOLVENT-K

(Contd. of page 6)

Important information on protection of health and

environment, and on safety.

• Ignition temperature: Product is not selfigniting.

• Explosive properties: Not determined.

· Solvent content:

· Organic solvents: 39.0 %
· Solids content: 1.0 %

· Change in condition

• Evaporation rate No data available

· Information with regard to physical hazard classes

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void
Gases under pressure Void

• Flammable liquids Flammable liquid and vapour.

Flammable solids
 Self-reactive substances and mixtures
 Pyrophoric liquids
 Pyrophoric solids
 Self-heating substances and mixtures
 Substances and mixtures, which emit flammable gases in contact with water
 Oxidising liquids

gases in contact with water Void
Oxidising liquids Void
Oxidising solids Void
Organic peroxides Void
Corrosive to metals Void
Desensitised explosives Void

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

EU



Page 8/16

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2024 Version number 7 (replaces version 6) Revision: 23.01.2024

Trade name: HYDROQUANT®UNISOLVENT-K

(Contd. of page 7)

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Harmful if swallowed.

Fatal in contact with skin.

Toxic if inhaled.

100000 19 1111					
· LD/LC50	· LD/LC50 values relevant for classification:				
CAS: 67-66-3 chloroform					
Oral	LD50	908 mg/kg (rat)			
Dermal	LD50	75 mg/kg (rat)			
Inhalative	LC50/4 h	3 mg/l (ATE)			
CAS: 107-	CAS: 107-98-2 1-methoxy-2-propanol				
Oral	LD50	5,660 mg/kg (rat)			
Dermal	LD50	13,000 mg/kg (rabbit)			
Inhalative	LC50/4 h	6 mg/l (rat)			
CAS: 75-8	CAS: 75-89-8 2,2,2-trifluoroethanol				
Oral	LD50	240 mg/kg (rat)			
Dermal	LD50	1,680 mg/kg (rat)			

- Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Suspected of causing cancer.
- · Reproductive toxicity Suspected of damaging the unborn child.
- · STOT-single exposure May cause drowsiness or dizziness.
- · STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 9)



Page 9/16

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2024 Version number 7 (replaces version 6) Revision: 23.01.2024

Trade name: HYDROQUANT®UNISOLVENT-K

(Contd. of page 8)

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Danger to drinking water if even extremely small quantities leak into the ground.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Europ	· European waste catalogue		
HP3	Flammable		
HP4	Irritant - skin irritation and eye damage		
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity		
HP6	Acute Toxicity		
HP7	Carcinogenic		
HP10	Toxic for reproduction		

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information				
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1992			
· 14.2 UN proper shipping name				
$\cdot ADR$	UN1992 FLAMMABLE LIQUID, TOXIC, N.C			
	(CHLOROFORM, 1-METHOXY-2-PROPANOL)			
· IMDG, IATA	FLAMMABLE LIQUID, TOXIC, N.O.			
	(CHLOROFORM, 1-METHOXY-2-PROPANOL)			

(Contd. on page 10)



Page 10/16

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2024 Version number 7 (replaces version 6) Revision: 23.01.2024

Trade name: HYDROQUANT®UNISOLVENT-K

(Contd. of page 9) · 14.3 Transport hazard class(es)  $\cdot ADR$ · Class 3 (FT1) Flammable liquids. · Label *3*+*6*. *1* · IMDG 3 Flammable liquids. · Class · Label 3/6.1  $\cdot$  IATA 3 Flammable liquids. · Class · Label 3 (6.1) · 14.4 Packing group · ADR, IMDG, IATA II· 14.5 Environmental hazards: · Marine pollutant: No 14.6 Special precautions for user Warning: Flammable liquids. · Hazard identification number (Kemler code): · EMS Number: F-E,S-D· Stowage Category · Stowage Code SW2 Clear of living quarters. · 14.7 Maritime transport in bulk according to IMO Not applicable. instruments · Transport/Additional information: · Limited quantities (LQ) 1LCode: E2 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · Transport category (Contd. on page 11)



Page 11/16

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2024 Version number 7 (replaces version 6) Revision: 23.01.2024

Trade name: HYDROQUANT®UNISOLVENT-K

(Contd. of page 10)

Tunnel restriction code D/E

· IMDG

· Limited quantities (LQ)

• Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

H2 ACUTE TOXIC

P5c FLAMMABLE LIQUIDS

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 32
- · Regulation (EU) No 649/2012

CAS: 67-66-3 chloroform

Annex I Part 1

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 12)



Page 12/16

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2024 Version number 7 (replaces version 6) Revision: 23.01.2024

Trade name: HYDROQUANT®UNISOLVENT-K

```
(Contd. of page 11)
· Relevant phrases
         Flammable liquid and vapour.
 H226
 H301
         Toxic if swallowed.
 H302
         Harmful if swallowed.
         Harmful in contact with skin.
 H312
         Causes skin irritation.
 H315
 H319
         Causes serious eye irritation.
 H331
         Toxic if inhaled.
         May cause respiratory irritation.
 H335
 H336
         May cause drowsiness or dizziness.
 H351
         Suspected of causing cancer.
 H361d
         Suspected of damaging the unborn child.
 H372
         Causes damage to organs through prolonged or repeated exposure.
 EUH301 For use in industrial installations only.
Contact:
 Austria German Vergiftungsinformations □ zentrale 01 406 43 43 http://www.goeg.at/de/VIZ
 Belgium French Centre antipoison 070 245 245 http://www.centreantipoisons.be
         Dutch Antigif centrum 070 245 245 http://www.antigifcentrum.be
         German Giftinformationszentrum 070 245 245 http://www.poisoncentre.be
 Bulgaria* Bulgarian Токсикологични центрове 02 9154 411 https://pirogov.eu/bg
 Croatia* Croatian Centar za kontrolu otrovanja +385 1 2348 342 https://www.imi.hr/en/jedinica/poison-
 control-centre
 Czech Rep Czech Toxikologické informační středisko +420 224 91 92 93; +420 224 91 54 02 http://
 Denmark Danish Giftlinien +45 8212 1212 https://www.bispebjerghospital.dk/giftlinien
 Estonia Estonian Mürgistusteabekeskus 16662; +372 7943 794 https://www.16662.ee
 Finland Finnish Myrkytystietokeskus 0800 147 111; +358 9 471 977 http://www.hus.fi/sairaanhoito/
 sairaanhoitopalvelut/myrkytystietokeskus/Sivut/default.aspx
 France French Angers +33 2 41 48 21 21 http://www.centres-antipoison.net/angers/index.html
        Bordeaux +33 5 56 96 40 80 http://www.centres-antipoison.net/bordeaux/index.html
        Lille +33 0800 59 59 59 http://www.centres-antipoison.net/lille/index.html
        Lyon +33 4 72 11 69 11 http://www.centres-antipoison.net/lyon/index.html
        Marseille +33 4 91 75 25 25 http://www.centres-antipoison.net/marseille/index.html
        Nancy +33 3 83 22 50 50 http://www.centres-antipoison.net/nancy/index.html
        Paris +33 1 40 05 48 48 http://www.centres-antipoison.net/paris/index.html
        Strasbourg +33 3 88 37 37 37 http://www.centres-antipoison.net/strasbourg/index.html
        Toulouse +33 5 61 77 74 47 http://www.centres-antipoison.net/toulouse/index.html
 Germany German Berlin +49 30 19240 https://giftnotruf.charite.de
        Bonn +49 228 19240 http://www.gizbonn.de/index.php?id=272
        Erfurt +49 361 730730 https://www.ggiz-erfurt.de/home.html
        Freiburg +49 761 19240 https://www.uniklinik-freiburg.de/giftberatung.html
        Göttingen +49 551 19240 https://www.giz-nord.de/cms/index.php
         Homburg/Saar +49 6841 19240
                                                  http://www.uniklinikumsaarland.de/de/einrichtungen/
 kliniken institute/kinder und jugendmedizin/
 informations und behandlungszentrum fuer vergiftungen des saarlandes
        Mainz +49 6131 19240 http://www.giftinfo.uni-mainz.de/index.php?id=24807
        München +49 89 19240 http://www.toxinfo.med.tum.de
 Greece Greek κέντρο δηλητηριάσεων +30 213 200 9000 http://www.aglaiakyriakou.gr/; http:/
```

(Contd. on page 13)



Page 13/16

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2024 Version number 7 (replaces version 6) Revision: 23.01.2024

Trade name: HYDROQUANT®UNISOLVENT-K

(Contd. of page 12)

/0317.syzefxis.gov.gr

Hungary Hungarian Egészségügyi Toxikológiai Tájékoztató Szolgálat +36 6 80 20 11 99; +36 06 1 476 6464 http://www.okbi.hu/page.php?trid=1&dz=103

Italy Italian Bergamo +39 800 88 33 00 http://www.asst-pg23.it/section/259/Tossicologia\_-Centro antiveleni

Firenze +39 55 794 78 19 http://www.antiveleni.altervista.org

Milano +39 2 661 01 029 http://www.centroantiveleni.org

Pavia +39 382 244 44 http://www-3.unipv.it/reumatologia-tossicologia/cav

Napoli +39 81 747 28 70

Foggia +39 881 732 326

Roma +39 6 685 93 726 / +39 6 499 78 000 / +39 6 305 43 43http://www.corso-primo-soccorso-roma.it/centri $\square$ antiveleno-lazio.html

Ireland English Poisons information Centre of Ireland +353 1 809 21 66 http://www.poisons.ie/Public

Latvia\* Latvian Saindēšanās informācijas centri +371 670 00 610 https://www.aslimnica.lv/lv

Russian Латвия +371 67000610 https://www.aslimnica.lv/lv

Lithuania Lithuanian Apsinuodijimų informacijos biuras + 370 5 236 20 52 http://www.apsinuodijau.lt

Luxembourg German Giftinformationszentrum +49 800 255 00 http://www.poisoncentre.be

French Centre antipoison +352 800 255 00 http://www.centreantipoisons.be

Netherlands Dutch 31 (0)88 755 8 https://www.productnotificatie.nl

Norway Norwegian Giftinformasjonen +47 22 59 13 00 https://helsenorge.no/Giftinformasjon

Poland Polish Kraków +48 12 411 99 99 http://www.oit.cm.uj.edu.pl

Gdansk +48 58 682 04 04 http://www.pctox.pl/news.php

Poznań +48 61 847 69 46 http://www.raszeja.poznan.pl/oddzialy/oddzial □ toksykologiczny

Warszawa +48 607 218 174 okzit@burdpi.pol.pl

Portugal Portuguese Centro de Informação Antivenenos +351 808 250 143 http://www.inem.pt

Romania Romanian CNMRMC +40 213 183 606 infotox@insp.gov.ro

Spitalul Clinic de Urgenta Bucuresti +40 215 992 300 int. 291

spital@urgentafloreasca.ro

Spitalul Clinic Judetean de Urgenta Targu Mures +40 265.212.111

secretariat@spitjudms.ro

Russia Russian Горячая линия Министерства здравоохранения +7 495 628 4453; +7 495 627 2944 http://rospotrebnadzor.ru

Serbia Serbian Nacionalni centar za kontrolu trovanja +381 11 3608 440 http://www.vma.mod.gov.rs/sr-lat/specijalnosti/centri/nacionalni-centar-za-kontrolu-trovanja

Slovak Rep Slovak Národné toxikologické informačné centrum +421 2 5477 4166 http://www.ntic.sk

Spain Spanish Servicio de Información Toxicológica +34 91 562 04 20 https://www.administraciondejusticia.gob.es/paj/pub\lico/ciudadano/informacion\_institucional/organismos/instituto\_nacional\_de\_toxicologia\_y\_ciencias\_fo\press/servicios/info\_toxicologica/que\_es\_sit/!ut/p/

 $c5/04\_SB8K8xLLM9MSSzPy8xBz9CP0os3g\_A1cjCyd \square DRwMDUwNLA08nwzAvM0czA\_8gM6B8pFm8mae \square r\\ qWdQsImJcaiLiYGncViYa4CHr4GBiQExug1wAEd \square CusNBrsWpwsLUACKPy3WuRvjlg83wy5sQ0G8C \square tR-$ 

 $P = w \ 8 \ 8 \ n \ N \ T \ 9 \ Q \ t \ y \ Q \ y \ M \ M \ M \ j \ 0 \ z \ A \ 9 \ I \ V \ F \ Q \ H \ Y \ 1 \ 8 \ l \ 4 \ / \ d \ l \ 3 \ / \ d \ 3 \ / \ L2dJQSEvUUt3QS9ZQnZ3LzZfTjBFMjhCMUEwMDUwOT<math>\square BJQjFWSjZBNjBPTjA!/?itemId=45381$ 

Sweden Swedish Giftinformationscentralen +46 10 456 6700 https://giftinformation.se

Switzerland German Giftinformationszentrum 145 http://toxinfo.ch

French Centre antipoison 145 http://toxinfo.ch

Italian Centro Antiveleni 145 http://toxinfo.ch

United Kingdom English NHS Helpline 111 NHS Helpline - England and Wales: http://www.nhs.uk/ NHSEngland/AboutNHSservices/Emergencyandurgentcareservices/Pages/NHS-111.aspx

(Contd. on page 14)



Page 14/16

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2024 Version number 7 (replaces version 6) Revision: 23.01.2024

Trade name: HYDROQUANT®UNISOLVENT-K

(Contd. of page 13)

Date of previous version: 04.10.2023
Version number of previous version: 6

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2

Acute Tox. 3: Acute toxicity - Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Carc. 2: Carcinogenicity - Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

\* \* Data compared to the previous version altered.

- FH

(Contd. on page 15)



Page 15/16

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2024 Version number 7 (replaces version 6) Revision: 23.01.2024

Trade name: HYDROQUANT®UNISOLVENT-K

(Contd. of page 14)

### Annex: Exposure scenario

· Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting worker exposure

Avoid contact with eyes.

Avoid contact with the skin.

Do not breathe gas/vapour/aerosol.

Take precautionary measures against static discharge.

Keep away from sources of ignition - No smoking.

- Other operational conditions affecting consumer exposure No special measures required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures

No special measures required.

Provide explosion-proof electrical equipment.

Ensure that suitable extractors are available on processing machines

· Personal protective measures

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes.

Pregnant women should strictly avoid inhalation or skin contact.

Tightly sealed goggles

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

· Measures for consumer protection Ensure adequate labelling.

(Contd. on page 16)



Page 16/16

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2024 Version number 7 (replaces version 6) Revision: 23.01.2024

Trade name: HYDROQUANT®UNISOLVENT-K

(Contd. of page 15)

- · Environmental protection measures
- · Water

No special measures required.

Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.

- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

EU