

Printing date 26.12.2023

Version number 5 (replaces version 4)

Revision: 12.07.2023

Page 1/12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: <u>HYDROQUANT®UNISOLVENT-E</u>

- · Article number: 0908
- · Registration number

A registration number is not available for this substance as the substance or its uses are exempted from registration or the annual tonnage does not require a registration.

- **UFI:** 4XJ0-30XF-V00H-A43F
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- *Application of the substance / the mixture* Laboratory chemical for analysis. Chemical for research, development, manufacturing, laboratory chemical for analysis.
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Biosolve Chimie
 20 Rue Roger Husson, 57260 Dieuze, France Tel: +33 3 878 675 80/81/82/83/84/85 Email: info@biosolvechimie.com

Biosolve B.V. Leenderweg 78, 5555 CE Valkenswaard, the Netherlands. Tel: +31-(0)40-2071300 Fax:+31-(0)40-2048537 Email: info@biosolve-chemicals.com

- · Further information obtainable from: Product safety department.
- 1.4 Emergency telephone number:

Contact list of appointed bodies for information relating to emergency health response, according to Art. 45(1) Reg. (EC) No 1272/2008. See below section 16 or at https://poisoncentres.echa.europa.eu/home.

Help desk: http://echa.europa.eu/web/guest/support/helpdesks/national-helpdesks/list-of-national-helpdesks).

Data from: ECHA - EUROPEAN CHEMICALS AGENCY For more information see section 16.

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 2 H225 Highly flammable liquid and vapour.

(Contd. on page 2)

EU



Page 2/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.12.2023

Version number 5 (replaces version 4)

Revision: 12.07.2023

Trade name: HYDROQUANT®UNISOLVENT-E



(Contd. on page 3)



Printing date 26.12.2023

Version number 5 (replaces version 4)

Revision: 12.07.2023

Trade name: HYDROQUANT®UNISOLVENT-E

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5	Ethyl alcohol	75-100%
EINECS: 200-578-6	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319	
Index number: 603-002-00-5		
Reg.nr.: 01-2119457610-43-XXXX		
CAS: 7446-09-5	sulphur dioxide	2.5-10%
EINECS: 231-195-2	Acute Tox. 3, H331; 🔗 Skin Corr. 1B, H314; Press. Gas	
Index number: 016-011-00-9	(Čomp.), H280	
CAS: 693-98-1	2-methylimidazole	≤2.5%
EINECS: 211-765-7	line Carc. 2, H351; Repr. 1B, H360Df; 🚯 Acute Tox. 4,	
Index number: 613-330-00-0	H302	
·SVHC		
CAS: 693-98-1 2-methylimidazole		

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- *After swallowing:* Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

EU



Printing date 26.12.2023

Version number 5 (replaces version 4)

Revision: 12.07.2023

(Contd. of page 3)

Page 4/12

Trade name: HYDROQUANT®UNISOLVENT-E

• 5.3 Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water. • 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- · 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. · Information about fire - and explosion protection:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 5)



Printing date 26.12.2023

Version number 5 (replaces version 4)

Revision: 12.07.2023

Trade name: HYDROQUANT®UNISOLVENT-E

(Contd. of page 4)

Page 5/12

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 7446-09-5 sulphur dioxide

IOELV Short-term value: 2.7 mg/m³, 1 ppm Long-term value: 1.3 mg/m³, 0.5 ppm

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)



Printing date 26.12.2023

Version number 5 (replaces version 4)

Revision: 12.07.2023

Trade name: HYDROQUANT®UNISOLVENT-E

· Eye/face protection



*

Tightly sealed goggles

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical p	roperties
· General Information	
· Physical state	Fluid
· Colour:	According to product specification
· Odour:	Characteristic
• Odour threshold:	No data available.
• Melting point/freezing point:	-114.5 °C
• Boiling point or initial boiling point and boiling	
range	76 °C
· Flammability	Not applicable.
Lower and upper explosion limit	
· Lower:	3.5 Vol %
· Upper:	15 Vol %
· Flash point:	< 23 °C
· Auto-ignition temperature:	425 °C
· Decomposition temperature:	No data available
· pH	No data available
· Viscosity:	
· Dynamic:	Not determined.
· Solubility	
· water at 20 °C:	1,000 g/l
· Partition coefficient n-octanol/water (log value)	No data available
· Vapour pressure at 20 °C:	59 hPa
· Density and/or relative density	
· Density at 20 °C:	$0.79 \ g/cm^3$
· Relative density	No data available
· Vapour density	No data available
• 9.2 Other information	
· Appearance:	
· Form:	Solution
Important information on protection of health an	d
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
· Solvent content:	
· Organic solvents:	95.0 %
	(Contd. on page 7)

(Contd. of page 5)

Page 6/12

- /) - EU-



Printing date 26.12.2023

Version number 5 (replaces version 4)

Revision: 12.07.2023

Page 7/12

Trade name: HYDROQUANT®UNISOLVENT-E

		(Contd. of page
VOC (EC)	95,00 %	
Solids content:	2.0 %	
Change in condition		
Evaporation rate	No data available	
Information with regard to physical hazard	classes	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
• Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Highly flammable liquid and vapour.	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
• Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

CAS: 7446-09-5 sulphur dioxide

Inhalative LC50/4 h 700 mg/l (ATE)

· Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

(Contd. on page 8)

EU

Biosolve

Page 8/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.12.2023

Version number 5 (replaces version 4)

Revision: 12.07.2023

Trade name: HYDROQUANT®UNISOLVENT-E

(Contd. of page 7)

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met. • Carcinogenicity Suspected of causing cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP3 Flammable

HP4 Irritant - skin irritation and eye damage

HP7 Carcinogenic

HP10 Toxic for reproduction

· Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

(Contd. on page 9)

EU

Printing date 26.12.2023

Version number 5 (replaces version 4)

Revision: 12.07.2023

(Contd. of page 8)

Trade name: HYDROQUANT®UNISOLVENT-E

• *Recommended cleansing agents: Water, if necessary together with cleansing agents.*

14.1 UN number or ID number ADR, IMDG, IATA	UN2924
14.2 UN proper shipping name ADR	UN2924 FLAMMABLE LIQUID, CORROSIVE, N.O. (ETHANOL (ETHYL ALCOHOL), SULPHU
IMDG	DIOXIDE) Flammable Liquid, Corrosive, N.O. (Ethanol (Ethyl Alcohol), Sulphu Dioxide)
IATA	FLAMMABLE LIQUID, CORROSIVE, N.O. (ETHANOL, SULPHUR DIOXIDE)
14.3 Transport hazard class(es)	
ADR	
Class	3 (FC) Flammable liquids.
Label	3+8
IMDG	
Class	3 Flammable liquids.
Label	3/8
IATA	
Class	3 Flammable liquids.
Label	3 (8)



Page 9/12



Page 10/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.12.2023

Version number 5 (replaces version 4)

Revision: 12.07.2023

Trade name: HYDROQUANT®UNISOLVENT-E

	(Contd. of page
 14.5 Environmental hazards: Marine pollutant: 	No
•	
• 14.6 Special precautions for user	Warning: Flammable liquids.
• Hazard identification number (Kemler code):	338
· EMS Number:	F-E,S-C
· Stowage Category	В
· Stowage Code	SW2 Clear of living quarters.
• 14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (\widetilde{EQ})	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
·IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

(Contd. on page 11)

EU



Page 11/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.12.2023

Version number 5 (replaces version 4)

Revision: 12.07.2023

Trade name: HYDROQUANT®UNISOLVENT-E

(Contd. of page 10)

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

• Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

• Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

CAS: 693-98-1 2-methylimidazole

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H351 Suspected of causing cancer.
- H360Df May damage the unborn child. Suspected of damaging fertility.
- Date of previous version: 19.10.2022
- Version number of previous version: 4
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- *SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative*
- Press. Gas (Comp.): Gases under pressure Compressed gas
- Flam. Liq. 2: Flammable liquids Category 2
- Acute Tox. 4: Acute toxicity Category 4
- Acute Tox. 3: Acute toxicity Category 3

(Contd. on page 12)

EU



Printing date 26.12.2023

Version number 5 (replaces version 4)

Revision: 12.07.2023

Trade name: HYDROQUANT®UNISOLVENT-E

(Contd. of page 11)

Page 12/12

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Carc. 2: Carcinogenicity – Category 2 Repr. 1B: Reproductive toxicity – Category 1B • * **Data compared to the previous version altered.**

EU -