

Page 1/14

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.12.2023 Version number 6 (replaces version 5) Revision: 12.07.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: HYDROQUANT®LIPOUNISOLVENT MC
- · Article number: 0909
- · Registration number

A registration number is not available for this substance as the substance or its uses are exempted from registration or the annual tonnage does not require a registration.

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Laboratory chemical for analysis.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Biosolve Chimie

20 Rue Roger Husson, 57260 Dieuze, France Tel: +33 3 878 675 80/81/82/83/84/85

 ${\it Email: info@biosolvechimie.com}$ 

Biosolve B.V.

Leenderweg 78, 5555 CE Valkenswaard, the Netherlands.

*Tel:* +31-(0)40-2071300 *Fax:* +31-(0)40-2048537

Email: info@biosolve-chemicals.com

- Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Contact list of appointed bodies for information relating to emergency health response, according to Art. 45(1) Reg. (EC) No 1272/2008.

See below section 16 or at https://poisoncentres.echa.europa.eu/home.

Help desk: http://echa.europa.eu/web/guest/support/helpdesks/national-helpdesks/list-of-national-helpdesks).

Data from: ECHA - EUROPEAN CHEMICALS AGENCY

For more information see section 16.

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS06 skull and crossbones

Acute Tox. 2 H310 Fatal in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.

(Contd. on page 2)



Page 2/14

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.12.2023 Version number 6 (replaces version 5) Revision: 12.07.2023

Trade name: HYDROQUANT®LIPOUNISOLVENT MC

(Contd. of page 1)



### GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.

Repr. 2 H361d Suspected of damaging the unborn child.

STOT SE 1 H370 Causes damage to organs.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.



Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

#### · 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS02

GHS06

### · Signal word Danger

#### · Hazard statements

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H331 Toxic if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child.

H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or repeated exposure.

#### · Precautionary statements

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P330 Rinse mouth.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

(Contd. on page 3)



Page 3/14

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.12.2023 Version number 6 (replaces version 5) Revision: 12.07.2023

### Trade name: HYDROQUANT®LIPOUNISOLVENT MC

(Contd. of page 2)

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:				
CAS: 67-66-3	chloroform	50-75%		
EINECS: 200-663-8	♦ Acute Tox. 3, H331; ♦ Carc. 2, H351; Repr. 2, H361d;			
Index number: 602-006-00-4	STOT RE 1, H372; (1) Acute Tox. 4, H302; Skin Irrit. 2,			
Reg.nr.: 01-2119486657-20-XXXX	H315; Eye Irrit. 2, H319, EUH301			
CAS: 67-56-1	Methanol	10-25%		
EINECS: 200-659-6	📀 Flam. Liq. 2, H225; 🤗 Acute Tox. 3, H301; Acute Tox. 3,			
Index number: 603-001-00-X	H311; Acute Tox. 3, H331; 🗞 STOT SE 1, H370			
Reg.nr.: 01-2119433307-44-XXXX	Specific concentration limits: STOT SE 1; H370: C≥10 %			
	STOT SE 2; H371: 3 $\% \le C <$			
	10 %			

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 4)



Page 4/14

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.12.2023 Version number 6 (replaces version 5) Revision: 12.07.2023

Trade name: HYDROQUANT®LIPOUNISOLVENT MC

(Contd. of page 3)

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 5)



Page 5/14

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.12.2023 Version number 6 (replaces version 5) Revision: 12.07.2023

Trade name: HYDROQUANT®LIPOUNISOLVENT MC

(Contd. of page 4)

· Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 67-66-3 chloroform

IOELV Long-term value: 10 mg/m³, 2 ppm

Skin

CAS: 67-56-1 Methanol

IOELV Long-term value: 260 mg/m³, 200 ppm

Skin

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)



Page 6/14

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.12.2023 Version number 6 (replaces version 5) Revision: 12.07.2023

Trade name: HYDROQUANT®LIPOUNISOLVENT MC

(Contd. of page 5)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: According to product specification

· Odour: Characteristic · Odour threshold: No data available. Melting point/freezing point: No data available.

· Boiling point or initial boiling point and boiling

range

Not applicable. · Flammability

· Lower and upper explosion limit

5.5 Vol % · Lower: 44.0 Vol % · Upper: < 23 °C · Flash point: 455 °C

· Auto-ignition temperature: · Decomposition temperature: No data available

 $\cdot pH$ No data available

· Viscosity:

· Dynamic: Not determined.

·Solubility

· water: Fully miscible. · Partition coefficient n-octanol/water (log value) No data available 210 hPa

· Vapour pressure at 20 °C: Density and/or relative density

Density at 20 °C: 1.25 g/cm3 No data available · Relative density No data available · Vapour density

· 9.2 Other information

· Appearance:

Solution

· Important information on protection of health and environment, and on safety.

· Ignition temperature: Product is not selfigniting.

· Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

(Contd. on page 7)



Page 7/14

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.12.2023 Version number 6 (replaces version 5) Revision: 12.07.2023

Trade name: HYDROQUANT®LIPOUNISOLVENT MC

(Contd. of page 6)

· Solvent content:	
· Organic solvents:	25.0 %
· VOC (EC)	25.00 %

· Change in condition

• Evaporation rate No data available

· Information with regard to physical hazard classes

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void
Gases under pressure Void

• Flammable liquids Highly flammable liquid and vapour.

Flammable solids
Self-reactive substances and mixtures
Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Substances and mixtures
Void
Substances and mixtures, which emit flammable gases in contact with water
Void
Oxidising liquids

Substances and mixtures, which emit flammable gases in contact with water Void
Oxidising liquids Void
Oxidising solids Void
Organic peroxides Void
Corrosive to metals Void
Desensitised explosives Void

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Harmful if swallowed.

Fatal in contact with skin.

Toxic if inhaled.

(Contd. on page 8)



Page 8/14

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.12.2023 Version number 6 (replaces version 5) Revision: 12.07.2023

Trade name: HYDROQUANT®LIPOUNISOLVENT MC

		(Contd. of page 7)
· LD/LC50	values rele	vant for classification:
CAS: 67-6	6-3 chloro	form
Oral	LD50	908 mg/kg (rat)
Dermal	LD50	75 mg/kg (rat)
Inhalative	LC50/4 h	3 mg/l (ATE)
CAS: 67-5	6-1 Metha	nol
Oral	LD50	5,628 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)
Inhalative	LC50/4 h	3 mg/l (ATE)

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Suspected of causing cancer.
- · Reproductive toxicity Suspected of damaging the unborn child.
- · STOT-single exposure Causes damage to organs.
- · STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Danger to drinking water if even extremely small quantities leak into the ground.

EU



Page 9/14

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.12.2023 Version number 6 (replaces version 5) Revision: 12.07.2023

Trade name: HYDROQUANT®LIPOUNISOLVENT MC

(Contd. of page 8)

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number	
ADR, IMDG, IATA	UN1992
14.2 UN proper shipping name	
ADR	1992 FLAMMABLE LIQUID, TOXIC, N.O. (METHANOL, CHLOROFORM)
IMDG, IATA	FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANO CHLOROFORM)
14.3 Transport hazard class(es)	
ADR	
Class Label	3 (FT1) Flammable liquids. 3+6.1
IMDG	
Class	3 Flammable liquids.
Label	3/6.1
IATA	
Class	3 Flammable liquids.
Label	3 (6.1)



Page 10/14

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.12.2023 Version number 6 (replaces version 5) Revision: 12.07.2023

Trade name: HYDROQUANT®LIPOUNISOLVENT MC

	(Contd. of pa
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	336
EMS Number:	F-E,S-D
Segregation groups	Liquid halogenated hydrocarbons
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 m.
Transport category	3
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
· · · · · · · · · · · · · · · · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Methanol
- · Seveso category

H2 ACUTE TOXIC

P5c FLAMMABLE LIQUIDS

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 32, 69

· Regulation (EU) No 649/2012

CAS: 67-66-3 chloroform Annex I Part 1

(Contd. on page 11)



Page 11/14

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.12.2023 Version number 6 (replaces version 5) Revision: 12.07.2023

Trade name: HYDROQUANT®LIPOUNISOLVENT MC

(Contd. of page 10)

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child.

H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or repeated exposure.

EUH301 For use in industrial installations only.

Date of previous version: 19.10.2022

· Version number of previous version: 5

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

 $Flam.\ Liq.\ 2:\ Flammable\ liquids-Category\ 2$ 

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Carc. 2: Carcinogenicity - Category 2

Repr. 2: Reproductive toxicity - Category 2

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

(Contd. on page 12)



Page 12/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.12.2023 Version number 6 (replaces version 5) Revision: 12.07.2023

Trade name: HYDROQUANT®LIPOUNISOLVENT MC

\* Data compared to the previous version altered.

(Contd. of page 11)

(Contd. on page 13)



Page 13/14

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.12.2023 Version number 6 (replaces version 5) Revision: 12.07.2023

Trade name: HYDROQUANT®LIPOUNISOLVENT MC

(Contd. of page 12)

### Annex: Exposure scenario

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting worker exposure

Avoid contact with eves.

Avoid contact with the skin.

Do not breathe gas/vapour/aerosol.

Take precautionary measures against static discharge.

Keep away from sources of ignition - No smoking.

- Other operational conditions affecting consumer exposure No special measures required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures

Provide explosion-proof electrical equipment.

Ensure that suitable extractors are available on processing machines

· Personal protective measures

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes.

Pregnant women should strictly avoid inhalation or skin contact.

Tightly sealed goggles

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

- · Measures for consumer protection Ensure adequate labelling.
- · Environmental protection measures
- · Water No special measures required.
- $\cdot \textit{\textbf{Disposal measures}} \ \textit{Ensure that waste is collected and contained}.$

(Contd. on page 14)



Page 14/14

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.12.2023 Version number 6 (replaces version 5) Revision: 12.07.2023

Trade name: HYDROQUANT®LIPOUNISOLVENT MC

(Contd. of page 13)

· Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

DII.