

Printing date 27.12.2023 *Version number 6 (replaces version 5)* Revision: 12.07.2023 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: Methanol · Chemical Identification: methyl alcohol methylalcohol · Article number: 1368 · CAS Number: 67-56-1 · EC number: 200-659-6 · Index number: 603-001-00-X • Registration number 01-2119433307-44-XXXX · 1.2 Relevant identified uses of the substance or mixture and uses advised against Only for the use of professionals users · Life cycle stages IS Use at industrial Sites M Manufacture F Formulation or re-packing *PW* Widespread use by professional workers · Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites SU9 Manufacture of fine chemicals SU10 Formulation [mixing] of preparations and/or re-packaging (excluding alloys) SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) SU24 Scientific research and development · Product category PC19 Intermediate PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents PC21 Laboratory chemicals PC37 Water treatment chemicals · Process category PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC4 Chemical production where opportunity for exposure arises PROC5 Mixing or blending in batch processes PROC7 Industrial spraying PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing) *PROC10* Roller application or brushing PROC13 Treatment of articles by dipping and pouring PROC15 Use as laboratory reagent (Contd. on page 2) FU

Page 1/19

Page 2/19

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.12.2023

Version number 6 (replaces version 5)

Revision: 12.07.2023

Trade name: Methanol

	(Contd. of page 1)
• Environmental release category ERC1 Manufacture of the substance	
ERC2 Formulation into mixture	
ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
ERC6a Use of intermediate	
ERC6b Use of reactive processing aid at industrial site (no Application of the substance / the mixture	inclusion into or onto article)
<i>Chemical for research, development, manufacturing, laborate</i>	ory chemical for analysis.
1.3 Details of the supplier of the safety data sheet	
· Manufacturer/Supplier:	
Biosolve Chimie	
20 Rue Roger Husson, 57260 Dieuze, France	
Tel: +33 3 878 675 80/81/82/83/84/85	
Email: info@biosolvechimie.com	
Biosolve B.V.	
Leenderweg 78, 5555 CE Valkenswaard, the Netherlands.	
Tel: +31-(0)40-2071300 Fax: +31-(0)40-2048537	
Email: info@biosolve-chemicals.com	
• Further information obtainable from: Product safety departs • 1.4 Emergency telephone number:	neni.
Contact list of appointed bodies for information relating to	emergency health response, according to Art
45(1) Reg. (EC) No 1272/2008.	
See below section 16 or at https://poisoncentres.echa.europa.	
Help desk: http://echa.europa.eu/web/guest/support/hel	pdesks/national-helpdesks/list-of-national-
helpdesks).	
Data from: ECHA - EUROPEAN CHEMICALS AGENCY For more information see section 16.	
SECTION 2: Hazards identification	
· · · · ·	
2.1 Classification of the substance or mixture	
• Classification according to Regulation (EC) No 1272/2008	
GHS02 flame	
UIIS02 Jume	
Flam. Liq. 2 H225 Highly flammable liquid and vapour.	
GHS06 skull and crossbones	
Aguta Tor 3 H301 Toria if gualloured	
Acute Tox. 3 H301 Toxic if swallowed.	
Acute Tox. 3 H311 Toxic in contact with skin.	
Acute Tox. 3 H331 Toxic if inhaled.	(Contd. on page 3)
	(contai on page 5)



Printing date 27.12.2023

Version number 6 (replaces version 5)

Revision: 12.07.2023

Page 3/19

Trade name: Methanol

	(Contd. of pag
GHS	08 health hazard
STOT SE 1 H	370
2.2 Label elem	ents
	rding to Regulation (EC) No 1272/2008
	s classified and labelled according to the CLP regulation.
Hazard pictogr	
- 1 3	
1	
〈 ११ 〉〈 ☆	\$ <mark>```</mark>
GHS02 GHS	506 GHS08
011502 011	
Signal word Do	nger
Hazard stateme	
H225	Highly flammable liquid and vapour.
-	1331 Toxic if swallowed, in contact with skin or if inhaled.
Precautionary	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P330	Rinse mouth.
	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin v
1505 1501 1	water [or shower].
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P405	
	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internatio
	regulations.
2.3 Other hazar	
	and vPvB assessment
PBT: Not appli	
vPvB: Not appl	:

SECTION 3: Composition/information on ingredients

· 3.1 Substances

*

- · CAS No. Description
- CAS: 67-56-1 Methanol
- · Identification number(s)
- EC number: 200-659-6
- *Index number:* 603-001-00-X
- Specific concentration limits
- STOT SE 1; H370: $C \ge 10 \%$ STOT SE 2; H371: $3 \% \le C < 10 \%$

(Contd. on page 4)

EU



Printing date 27.12.2023

Version number 6 (replaces version 5)

Revision: 12.07.2023

Trade name: Methanol

(Contd. of page 3)

Page 4/19

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

- Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- *After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.*
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 5)



Printing date 27.12.2023

Version number 6 (replaces version 5)

Revision: 12.07.2023

(Contd. of page 4)

Page 5/19

Trade name: Methanol

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

- *Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.*
- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.*
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 67-56-1 Methanol

IOELV Long-term value: 260 mg/m³, 200 ppm Skin

· DNELs

67-56-1 Workers Skin contact Long-term systemic effects 40mg/kg BW/d Workers Skin contact Acute systemic effects 40mg/kg BW/d Workers Inhalation Long-term systemic effects 260 mg/m3 Workers Inhalation Acute systemic effects 260 mg/m3 Workers Inhalation Acute local effects 260 mg/m3

Workers Inhalation Long-term tocat effects 260 mg/m3 Workers Inhalation Acute systemic effects 260 mg/m3 Consumers Skin contact Long-term systemic effects 8mg/kg BW/d Consumers Skin contact Acute systemic effects 8mg/kg BW/d Consumers Inhalation Long-term systemic effects 50 mg/m3 Consumers Inhalation Long-term local effects 50 mg/m3 Consumers Inhalation Acute systemic effects 50 mg/m3 Consumers Inhalation Acute local effects 50 mg/m3 Consumers Inhalation Long-term systemic effects 8mg/kg BW/d Consumers Ingestion Long-term systemic effects 8mg/kg BW/d Consumers Ingestion Acute systemic effects 8mg/kg BW/d

Marine water 15.4 mg Fresh water 154 mg/l

Biosolve	DR

Page 6/19

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.12.2023

Version number 6 (replaces version 5)

Revision: 12.07.2023

(Contd. of page 5)

Trade name: Methanol

Fresh water sediment 570.4 mg/kg Onsite sewage treatment plant 100 mg/kg

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.

• Respiratory protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Hand protection

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

Full contact

Material: butyl-rubber Minimum layer thickness: 0.3mm Break through time: 480 min

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 31 min The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7) EU



Printing date 27.12.2023

Version number 6 (replaces version 5)

Revision: 12.07.2023

(Contd. of page 6)

Page 7/19

Trade name: Methanol

· Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).



Tightly sealed goggles

· Body protection:

Protective work clothing

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

· Environmental exposure controls

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical p	properties
· General Information	-
· Physical state	Fluid
· Colour:	Colourless
· Odour:	Alcohol-like
· Odour threshold:	No data available.
• Melting point/freezing point:	-98 °C
Boiling point or initial boiling point and boiling	
range	64.7 °C
· Flammability	Highly flammable.
· Lower and upper explosion limit	
· Lower:	5.5 Vol %
· Upper:	44 Vol %
· Flash point:	11 °C
· Auto-ignition temperature:	455 °C
· Decomposition temperature:	No data available
· pH	No data available
· Viscosity:	
· Dynamic:	Not determined.
Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	No data available
· Vapour pressure at 20 °C:	128 hPa
· Density and/or relative density	
Density at 20 °C:	$0.79 \ g/cm^3$
· Relative density	No data available
· Vapour density	No data available
	(Contd



Printing date 27.12.2023

Version number 6 (replaces version 5)

Revision: 12.07.2023

Trade name: Methanol

0.2 Other information	(Contd. of page
9.2 Other information	
Appearance:	Fluid
Form:	
Important information on protection of heal	th and
environment, and on safety.	
Ignition temperature:	No data available
Explosive properties:	Product is not explosive. However, formation
	explosive air/vapour mixtures are possible.
· Molecular weight	32 g/mol
Change in condition	
Evaporation rate	No data available
Information with regard to physical hazard o	classes
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamm	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 9)

EU

Page 8/19

Biosolve

Page 9/19

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.12.2023

Version number 6 (replaces version 5)

Revision: 12.07.2023

Trade name: Methanol

(Contd. of page 8)

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Toxic if swallowed, in contact with skin or if inhaled.

•	LD/LC50	values	rele	vant j	for	classification:	

 Oral
 LD50
 5,628 mg/kg (rat)

 Dermal
 LD50
 15,800 mg/kg (rabbit)

 Inhalating
 LC50/4 h
 2 mg/l (4TE)

Inhalative LC50/4 h 3 mg/l (ATE)

• *Skin corrosion/irritation Based on available data, the classification criteria are not met.*

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.*

· STOT-single exposure .

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

• 11.2 Information on other hazards

• Endocrine disrupting properties Substance is not listed.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.



Page 10/19

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.12.2023

Version number 6 (replaces version 5)

Revision: 12.07.2023

Trade name: Methanol

(Contd. of page 9)

· European waste catalogue

HP3 Flammable

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

HP6 Acute Toxicity

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information · 14.1 UN number or ID number · ADR, IMDG, IATA UN1230 · 14.2 UN proper shipping name UN1230 METHANOL · ADR **METHANOL** · IMDG, IATA • 14.3 Transport hazard class(es) ·ADR 3 (FT1) Flammable liquids. · Class · Label 3+6.1 · IMDG · Class 3 Flammable liquids. · Label 3/6.1 $\cdot IATA$ · Class 3 Flammable liquids. · Label 3 (6.1) · 14.4 Packing group · ADR, IMDĞ, IATA II (Contd. on page 11) EU



Page 11/19

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.12.2023

Version number 6 (replaces version 5)

Revision: 12.07.2023

Trade name: Methanol

	(Contd. of page 1
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Flammable liquids.
· Hazard identification number (Kemler code):	336
• EMS Number:	F-E,S-D
· Stowage Category	В
· Stowage Code	SW2 Clear of living quarters.
· 14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
• Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is listed.

- Qualifying quantity (tonnes) for the application of lower-tier requirements 500 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 5,000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40, 69
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II
- Substance is not listed.
- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
- Substance is not listed.
- Annex II REPORTABLE EXPLOSIVES PRECURSORS Substance is not listed.

• Regulation (EC) No 273/2004 on drug precursors Substance is not listed.

(Contd. on page 12) EU



Page 12/19

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.12.2023

Version number 6 (replaces version 5)

Revision: 12.07.2023

Trade name: Methanol

(Contd. of page 11) • Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

· Contact:

Austria German Vergiftungsinformations zentrale 01 406 43 43 http://www.goeg.at/de/VIZ Belgium French Centre antipoison 070 245 245 http://www.centreantipoisons.be Dutch Antigif centrum 070 245 245 http://www.antigifcentrum.be German Giftinformationszentrum 070 245 245 http://www.poisoncentre.be Bulgaria* Bulgarian Токсикологични центрове 02 9154 411 https://pirogov.eu/bg Croatia* Croatian Centar za kontrolu otrovanja +385 1 2348 342 https://www.imi.hr/en/jedinica/poisoncontrol-centre Czech Rep Czech Toxikologické informační středisko +420 224 91 92 93; +420 224 91 54 02 http:// www.tis-cz.cz Denmark Danish Giftlinien +45 8212 1212 https://www.bispebjerghospital.dk/giftlinien Estonia Estonian Mürgistusteabekeskus 16662; +372 7943 794 https://www.16662.ee Finland Finnish Myrkytystietokeskus 0800 147 111; +358 9 471 977 http://www.hus.fi/sairaanhoito/ sairaanhoitopalvelut/myrkytystietokeskus/Sivut/default.aspx France French Angers +33 2 41 48 21 21 http://www.centres-antipoison.net/angers/index.html Bordeaux +33 5 56 96 40 80 http://www.centres-antipoison.net/bordeaux/index.html Lille +33 0800 59 59 59 http://www.centres-antipoison.net/lille/index.html Lyon +33 4 72 11 69 11 http://www.centres-antipoison.net/lyon/index.html Marseille +33 4 91 75 25 25 http://www.centres-antipoison.net/marseille/index.html Nancy +33 3 83 22 50 50 http://www.centres-antipoison.net/nancy/index.html Paris +33 1 40 05 48 48 http://www.centres-antipoison.net/paris/index.html Strasbourg +33 3 88 37 37 http://www.centres-antipoison.net/strasbourg/index.html Toulouse +33 5 61 77 74 47 http://www.centres-antipoison.net/toulouse/index.html

Germany German Berlin +49 30 19240 https://giftnotruf.charite.de Bonn +49 228 19240 http://www.gizbonn.de/index.php?id=272

Erfurt +49 361 730730 https://www.ggiz-erfurt.de/home.html

Freiburg +49 761 19240 https://www.uniklinik-freiburg.de/giftberatung.html

Göttingen +49 551 19240 https://www.giz-nord.de/cms/index.php

Homburg/Saar +49 6841 19240 http://www.uniklinikumsaarland.de/de/einrichtungen/ kliniken_institute/kinder_und_jugendmedizin/ informations und behandlungszentrum fuer vergiftungen des saarlandes

Main_H=9 6131 19240 http://www.giftinfo.uni-mainz.de/index.php?id=24807

München +49 89 19240 http://www.toxinfo.med.tum.de

Greece Greek κέντρο δηλητηριάσεων +30 213 200 9000 http://www.aglaiakyriakou.gr/; http://0317.syzefxis.gov.gr

Hungary Hungarian Egészségügyi Toxikológiai Tájékoztató Szolgálat +36 6 80 20 11 99; +36 06 1 476 6464 http://www.okbi.hu/page.php?trid=1&dz=103

(Contd. on page 13)

EU

Page 13/19

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.12.2023

Version number 6 (replaces version 5)

Revision: 12.07.2023

Trade name: Methanol

(Contd. of page 12) Italy Italian Bergamo +39 800 88 33 00 http://www.asst-pg23.it/section/259/Tossicologia -Centro antiveleni Firenze +39 55 794 78 19 http://www.antiveleni.altervista.org Milano +39 2 661 01 029 http://www.centroantiveleni.org Pavia +39 382 244 44 http://www-3.unipv.it/reumatologia-tossicologia/cav Napoli +39 81 747 28 70 Foggia +39 881 732 326 Roma +39 6 685 93 726 / +39 6 499 78 000 / +39 6 305 43 43http://www.corso-primo-soccorsoroma.it/centri antiveleno-lazio.html Ireland English Poisons information Centre of Ireland +353 1 809 21 66 http://www.poisons.ie/Public Latvia* Latvian Saindēšanās informācijas centri +371 670 00 610 https://www.aslimnica.lv/lv Russian Латвия +371 67000610 https://www.aslimnica.lv/lv Lithuania Lithuanian Apsinuodijimų informacijos biuras + 370 5 236 20 52 http://www.apsinuodijau.lt Luxembourg German Giftinformationszentrum +49 800 255 00 http://www.poisoncentre.be French Centre antipoison +352 800 255 00 http://www.centreantipoisons.be Netherlands Dutch 31 (0)88 755 8 https://www.productnotificatie.nl Norway Norwegian Giftinformasjonen +47 22 59 13 00 https://helsenorge.no/Giftinformasjon Poland Polish Kraków +48 12 411 99 99 http://www.oit.cm.uj.edu.pl Gdansk +48 58 682 04 04 http://www.pctox.pl/news.php Poznań +48 61 847 69 46 http://www.raszeja.poznan.pl/oddzialy/oddzial toksykologiczny Warszawa +48 607 218 174 okzit@burdpi.pol.pl Portugal Portuguese Centro de Informação Antivenenos +351 808 250 143 http://www.inem.pt Romania Romanian CNMRMC +40 213 183 606 infotox@insp.gov.ro Spitalul Clinic de Urgenta Bucuresti +40 215 992 300 int. 291 spital@urgentafloreasca.ro Spitalul Clinic Judetean de Urgenta Targu Mures +40 265.212.111 secretariat@spitjudms.ro Russia Russian Горячая линия Министерства здравоохранения +7 495 628 4453; +7 495 627 2944 http://rospotrebnadzor.ru Serbia Serbian Nacionalni centar za kontrolu trovanja +381 11 3608 440 http://www.vma.mod.gov.rs/sr-lat/ specijalnosti/centri/nacionalni-centar-za-kontrolu-trovanja Slovak Rep Slovak Národné toxikologické informačné centrum +421 2 5477 4166 http://www.ntic.sk Spain Spanish Servicio de Información Toxicológica +34 91 562 04 20 https:// www.administraciondejusticia.gob.es/paj/pub lico/ciudadano/informacion institucional/organismos/ instituto nacional de toxicologia y ciencias fo renses/servicios/info toxicologica/que es sit/!ut/p/ c5/04 SB8K8xLLM9MSSzPy8xBz9CP0os3g A1cjCyd \Box DRwMDUwNLA08nwzAvM0czA 8gM6B8pFm8mae $\Box r$ *qWdQsImJcaiLiYGncViYa4CHr4GBiQExug1wAEd CusNBrsWpwsLUACKPy3WuRvjlg83wy5sQ0G8CtR*w 8 8 n N T 9 Q t y Q y M M M j 0 z A 9 I V F Q H Y 1 8 I 4 / d I 3 / d 3 / \boldsymbol{P} $L2\overline{d}J\overline{Q}SEvUUt3QS9ZQnZ3LzZfTjBFMjhCMUEwMDUwOT \Box BJQjFWSjZBNjBPTjA!/?itemId=45381$ Sweden Swedish Giftinformationscentralen +46 10 456 6700 https://giftinformation.se Switzerland German Giftinformationszentrum 145 http://toxinfo.ch French Centre antipoison 145 http://toxinfo.ch Italian Centro Antiveleni 145 http://toxinfo.ch United Kingdom English NHS Helpline 111 NHS Helpline - England and Wales: http://www.nhs.uk/ NHSEngland/AboutNHSservices/Emergencyandurgentcareservices/Pages/NHS-111.aspx • Date of previous version: 19.10.2022 • Version number of previous version: 5 (Contd. on page 14) EU



Printing date 27.12.2023

Version number 6 (replaces version 5)

Revision: 12.07.2023

Trade name: Methanol

(Contd. of page 13)

Page 14/19

• Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 STOT SE 1: Specific target organ toxicity (single exposure) - Category 1 • * Data compared to the previous version altered.

(Contd. on page 15)



Page 15/19

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.12.2023

Version number 6 (replaces version 5)

Revision: 12.07.2023

Trade name: Methanol

(Contd. of page 14)

Annex: Exposure scenario

Short title of the exposure scenario Industrial use as an intermediate or as a process chemical
Sector of Use
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
SU9 Manufacture of fine chemicals
SU10 Formulation [mixing] of preparations and/or re-packaging (excluding alloys)
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
SU24 Scientific research and development
Product category
PC19 Intermediate
<i>PC20</i> Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents
PC21 Laboratory chemicals
PC37 Water treatment chemicals
Process category
<i>PROC1</i> Chemical production or refinery in closed process without likelihood of exposure or processes
with equivalent containment conditions.
<i>PROC2</i> Chemical production or refinery in closed continuous process with occasional controlled exposure
or processes with equivalent containment conditions
<i>PROC3</i> Manufacture or formulation in the chemical industry in closed batch processes with occasional
controlled exposure or processes with equivalent containment condition
PROC4 Chemical production where opportunity for exposure arises
PROC5 Mixing or blending in batch processes
PROC7 Industrial spraying
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
<i>PROC8b</i> Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC10 Roller application or brushing
PROC13 Treatment of articles by dipping and pouring
PROC15 Use as laboratory reagent
Environmental release category
ERC1 Manufacture of the substance
ERC2 Formulation into mixture
<i>ERC4</i> Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
ERC6a Use of intermediate
ERC6b Use of reactive processing aid at industrial site (no inclusion into or onto article)
Notes
Do not use for private / domestic purposes (household).
The product is intended for professional use.
Description of the activities / processes covered in the Exposure Scenario
67-56-1
1. Used as chemical intermediate
Main User Groups : SU 3
Sectors of end-use : SU 3, SU9
Chemical product category : PC19
Process categories : PROC1, PROC2, PROC3, PROC4, PROC8b, PROC15
Environmental Release Categories : ERC1, ERC4, ERC6a
(C_{ent}) and (C_{ent})



Page 16/19

Printing date 27.12.2023

Version number 6 (replaces version 5)

EU

Revision: 12.07.2023

Trade name: Methanol

(Contd. of page 15) 2. Formulation of preparations Main User Groups : SU 3 Sectors of end-use : SU 10 Process categories : PROC2, PROC3, PROC4, PROC8b, PROC9, PROC15 Environmental Release Categories : ERC2 3. Industrial use of processing aids in processes and products, not becoming part of articles Main User Groups : SU 3 Sectors of end-use : SU 3, SU9 Chemical product category : PC20, PC21 Process categories : PROC1, PROC2, PROC3, PROC4, PROC8b, PROC9, PROC10, PROC15 Environmental Release Categories : ERC4, ERC6b 4. Used as laboratory reagent Main User Groups : SU 22 Sectors of end-use : SU 3, SU 22, SU24 Chemical product category : PC19, PC20, PC21 Process categories : PROC10, PROC15 Environmental Release Categories : ERC4, ERC6a, ERC6b 5. Surface treatment Main User Groups : SU 3 Sectors of end-use : SU 3, SU9 Chemical product category : PC35 Process categories : PROC5, PROC7, PROC8a, PROC10, PROC13 Environmental Release Categories : ERC2, ERC4, ERC6a · Conditions of use · Duration and frequency 5 workdays/week. · Worker Application duration : > 4 hFrequency of use : 220 days/year · Environment Indoor use Do not allow contact to soil, surface water and ground water. · Physical parameters See section 9 to the Safety Data Sheet. · Physical state Fluid · Concentration of the substance in the mixture Raw material. Covers the percentage of the substance in the product up to 100 %. · Used amount per time or activity According to directions for use. Covers the percentage of the substance in the product up to 100 % • Other operational conditions Observe the general safety regulations when handling chemicals. • Other operational conditions affecting environmental exposure Observe section 6 of the Safety Data Sheet (Accidental release measures). (Contd. on page 17)

Page 17/19

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.12.2023

Version number 6 (replaces version 5)

Revision: 12.07.2023

Trade name: Methanol

Other energianal and litical affective much an autogram	(Contd. of page 1
Other operational conditions affecting worker exposure	
Avoid contact with the skin.	
Do not breathe gas/vapour/aerosol.	
Take precautionary measures against static discharge.	
Keep away from sources of ignition - No smoking.	
Observe section 6 of the Safety Data Sheet (Accidental release measures).	
Risk management measures	
<i>Worker protection</i> Observe section 7.1 and 8.1-8.2 of the Safety Data Sheet	
Organisational protective measures	
Deploy only trained chemical workers.	
Avoid contact with drinking water and / or food during application.	
Ensure that activities are executed by specialists or authorised personnel only.	1 . 1 11 .11
Ensure that the working area is organised, well lit and ventilated, with enou	igh space to handle spille
product.	
Consider section 4 of the Safety Data Sheet (First aid measures).	1 1
Ensure good ventilation. This can be achieved by using a local exhaustion or	
these measures are insufficient to keep the solvent vapour concentration below t	the workplace limit, wear a
adequate respiratory protective device.	
Provide sufficient washing facilities.	
Provide emergency eye wash station and mark its location clearly.	
Technical protective measures	
Provide explosion-proof electrical equipment.	
Ensure that suitable extractors are available on processing machines	
Store in cool, dry place in tightly closed receptacles.	
Keep away from heat and direct sunlight.	
Use only in well ventilated areas.	
Personal protective measures	
Do not inhale gases / fumes / aerosols.	
Avoid contact with the skin.	
Where risk assessment shows air-purifying respirators are appropriate use a full	
with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cart	
to engineering controls. If the respirator is the sole means of protection, use a fu	
respirator. Use respirators and components tested and approved under appropri	ate government
standards such as NIOSH (US) or CEN (EU).	
In case of brief exposure or low pollution use respiratory filter device. In a	case of intensive or longe
exposure use self-contained respiratory protective device.	
The selected protective gloves have to satisfy the specifications of EU Dire	ective 89/686/EEC and th
standard EN 374 derived from it.	
Protective gloves	
The glove material has to be impermeable and resistant to the product/ the subst	
Selection of the glove material on consideration of the penetration times,	rates of diffusion and the
degradation	
Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensur	e adequate ventilation.
Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vap	
form explosive concentrations. Vapours can accumulate in low areas.	-
For personal protection see section 8.	
· · · · · · · · · · · · · · · · · · ·	(Contd. on page 1)

Page 18/19

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.12.2023

Version number 6 (replaces version 5)

Revision: 12.07.2023

(Contd. of page 17)

Trade name: Methanol

Environmental protection measures	(Contd. of page 17
Water	
Do not allow to reach sewage system. Dispose of this product and its container at ha	zardous or specie
waste collection point.	1
Soil Prevent contamination of soil.	
Notes In case of unintended release of the product: See section 6 of the Safety Data Sheet	t.
Disposal measures	
Disposal must be made according to official regulations.	
Ensure that waste is collected and contained.	
Disposal procedures	
Must not be disposed together with household garbage. Do not allow product to reach sev	wage system
<i>Waste type</i> Partially emptied and uncleaned packaging	
Exposure estimation	
Worker (dermal)	
Detailed information on the exposure estimation can be found at http://www.ecetoc.org/tr	a
67-56-1 With local exhaust ventilation	
PROC1 0.00686 mg/kg BW/d	
PROC10 5.49 mg/kg BW/d	
PROC13 2.74 mg/kg BW/d	
PROC15 0.0686 mg/kg BW/d	
PROC2 0.274 mg/kg BW/d	
PROC3 0.137 mg/kg BW/d	
PROC4 1.37 mg/kg BW/d	
PROC5 2.74 mg/kg BW/d	
PROC7 8.57 mg/kg BW/d	
PROC8a 2.74 mg/kg BW/d	
PROC8b 2.74 mg/kg BW/d	
PROC9 1.37 mg/kg BW/d	
The calculated value is smaller than the DNEL.	
Risk Characterization ratio <1	
Worker (inhalation)	
Detailed information on the exposure estimation can be found at http://www.ecetoc.org/tr	a
67-56-1 With local exhaust ventilation	и.
$PROC1 \ 0.0133 \ mg/m^3$	
PROC10 33.3 mg/m ³	
PROC13 33.3 mg/m ³	
PROC15 13.3 mg/m ³	
PROC2 3.33 mg/m ³	
PROC2 5.55 mg/m PROC3 6.67 mg/m ³	
PROC4 13.3 mg/m ³	
PROC5 33.3 mg/m ³	
PROC7 33.3 mg/m ³	
$PROC8a 33.3 mg/m^3$ $PROC8h 10 mg/m^3$	
$\frac{PROC8b\ 10\ mg/m^3}{PROC0\ 26\ 7\ mg/m^3}$	
$PROC9 26.7 \text{ mg/m}^3$	
The calculated value is smaller than the DNEL.	
Risk Characterization ratio <1	(Contd. on page 19



Printing date 27.12.2023

Version number 6 (replaces version 5)

Revision: 12.07.2023

Trade name: Methanol

· Environment

(Contd. of page 18)

EU

Page 19/19

A chemical safety assessment was performed according REACH Article 14(3), Annex I, sections 3 (Environmental Hazard assessment) and 4 (PBT/vPvB Assessment). As no hazard was identified, an exposure assessment and risk characterization is not necessary (REACH Annex I section 5.0).

 \cdot Consumer Not relevant for this Exposure Scenario.

· Guidance for downstream users

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).