

Printing date 27.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Page 1/17

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized
- Article number: 1697
- · Registration number
- A registration number is not available for this substance as the substance or its uses are exempted from registration or the annual tonnage does not require a registration.
- · UFI: UVS0-30UM-P00K-WS9P
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture
- Chemical for research, development, manufacturing, laboratory chemical for analysis.
- · 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Biosolve Chimie 20 Rue Roger Husson, 57260 Dieuze, France Tel: +33 3 878 675 80/81/82/83/84/85 Email: info@biosolvechimie.com

Biosolve B.V. Leenderweg 78, 5555 CE Valkenswaard, the Netherlands. Tel: +31-(0)40-2071300 Fax:+31-(0)40-2048537 Email: info@biosolve-chemicals.com

• Further information obtainable from: Product safety department.

• 1.4 Emergency telephone number:

Contact list of appointed bodies for information relating to emergency health response, according to Art. 45(1) Reg. (EC) No 1272/2008.


See below section 16 or at https://poisoncentres.echa.europa.eu/home.

*Help desk: http://echa.europa.eu/web/guest/support/helpdesks/national-helpdesks/list-of-national-helpdesks).* 

Data from: ECHA - EUROPEAN CHEMICALS AGENCY For more information see section 16.

## **SECTION 2: Hazards identification**

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008



Acute Tox. 2 H310 Fatal in contact with skin. Acute Tox. 3 H331 Toxic if inhaled.

(Contd. on page 2)

EU



Printing date 27.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25:24:1, stabilized

(Contd. of page 1) GHS08 health hazard Muta. 2 H341 Suspected of causing genetic defects. Carc. 1B H350 May cause cancer. Repr. 2 H361d Suspected of damaging the unborn child. STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS05 GHS06 GHS08 · Signal word Danger · Hazard statements H302 Harmful if swallowed. H310 Fatal in contact with skin. H331 Toxic if inhaled. H314 Causes severe skin burns and eye damage. H341 Suspected of causing genetic defects. H350 May cause cancer. H361d Suspected of damaging the unborn child. H372 Causes damage to organs through prolonged or repeated exposure. · Precautionary statements P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P310 (Contd. on page 3)

Page 2/17

FU



Printing date 27.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

### Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25:24:1, stabilized

(Contd. of page 2)

P361+P364 P405 P501 Take off immediately all contaminated clothing and wash it before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### • Additional information:

For use in industrial installations only.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 108-95-2	phenol	25-50%
EINECS: 203-632-7	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3,	
Index number: 604-001-00-2	H331; 🚯 Muta. 2, H341; STOT RE 2, H373; 🕎 Skin Corr.	
Reg.nr.: 01-2119471329-32-XXXX	1B, H314	
C	Specific concentration limits: Skin Corr. 1B; H314: $C \ge 3$ %	
	<i>Skin Irrit. 2; H315: 1 % ≤ C &lt; 3</i>	
	%	
	<i>Eye Irrit. 2; H319: 1 %</i> $\leq$ <i>C</i> $<$ <i>3</i>	
	%	
CAS: 67-66-3	chloroform	25-50%
EINECS: 200-663-8		
Index number: 602-006-00-4	STOT RE 1, H372; () Acute Tox. 4, H302; Skin Irrit. 2,	
Reg.nr.: 01-2119486657-20-XXXX	H315; Eye Irrit. 2, H319, EUH301	
	3-methylbutan-1-ol; Iso Amyl alcohol	≤2.5%
	♦ Flam. Liq. 3, H226;   Acute Tox. 4, H332; STOT SE 3, H335, EUH006	
CAS: 91-22-5	quinoline	≤2.5%
EINECS: 202-051-6	Wuta. 2, H341; Carc. 1B, H350; 🚱 Aquatic Chronic 2,	
Index number: 613-281-00-5	H411; (1) Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit.	
	2, H315; Eye Irrit. 2, H319	

(Contd. on page 4)



Page 4/17

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

(Contd. of page 3)

## **SECTION 4: First aid measures**

#### • 4.1 Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

#### • After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Call for a doctor immediately.
- Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · *Protective equipment:* Mouth respiratory protective device.

## **SECTION 6:** Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

 $\cdot$  6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

• **6.4 Reference to other sections** See Section 7 for information on safe handling.

(Contd. on page 5)



Printing date 27.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

(Contd. of page 4)

Page 5/17

#### Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25:24:1, stabilized

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about fire - and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

#### CAS: 108-95-2 phenol

IOELV Short-term value: 16 mg/m<sup>3</sup>, 4 ppm Long-term value: 8 mg/m<sup>3</sup>, 2 ppm Skin

CAS: 67-66-3 chloroform

IOELV Long-term value: 10 mg/m<sup>3</sup>, 2 ppm Skin

### 3-methylbutan-1-ol; Iso Amyl alcohol

IOELV Short-term value: 37 mg/m<sup>3</sup>, 10 ppm Long-term value: 18 mg/m<sup>3</sup>, 5 ppm

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. on page 6)



Printing date 27.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

(Contd. of page 5)

### Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

#### · Respiratory protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### · Hand protection

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

#### Fluorocarbon rubber (Viton)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

Full contact

Minimum layer thickness: 0.7 mm Break through time: 480 min

#### Splash contact

Minimum layer thickness: 0.7 mm

Break through time: 480 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### • Eye/face protection

Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).



Tightly sealed goggles

#### · Body protection:

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

(Contd. on page 7)

EU

Page 6/17



Printing date 27.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

(Contd. of page 6)

Page 7/17

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

#### • Environmental exposure controls

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

<b>SECTION 9: Physical and chemical prop</b>	erties
9.1 Information on basic physical and chemical p	roperties
General Information	operates
Physical state	Fluid
Colour:	Light orange colour
Odour:	Characteristic
Odour threshold:	No data available.
Melting point/freezing point:	No data available.
Boiling point or initial boiling point and boiling	
range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	1.3 Vol %
Upper:	9.5 Vol %
Flash point:	$> 60 \circ C$
Auto-ignition temperature:	595 °C
Decomposition temperature:	No data available
pH	No data available
Viscosity:	
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	No data available
Vapour pressure at 20 °C:	210 hPa
Density and/or relative density	
Density at 20 °C:	$1.26 \text{ g/cm}^3$
Relative density	No data available
Vapour density	No data available
9.2 Other information	
Appearance:	<b>T I</b>
Form:	Liquid
Important information on protection of health and	d
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	50.0.0/
Organic solvents:	52.0 %
Solids content:	49.9 %
Change in condition	
Evaporation rate	No data available

ÉU -



Printing date 27.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Page 8/17

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25:24:1, stabilized

		(Contd. of pag
Information with regard to physical hazard	classes	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity

Harmful if swallowed. Fatal in contact with skin. Toxic if inhaled.

· LD/LC50 values relevant for classification:

### CAS: 108-95-2 phenol

Oral	LD50	317 mg/kg (rat)
Dermal	LD50	850 mg/kg (rabbit)
Inhalative	LC50/4 h	0.5 mg/l (ATE)

(Contd. on page 9)

EU



Printing date 27.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

### Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25:24:1, stabilized

# CAS: 67-66-3 chloroform

Oral	LD50	908 mg/kg (rat)
Dermal	LD50	75 mg/kg (rat)
Inhalative	LC50/4 h	3 mg/l (ATE)

· Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Suspected of causing genetic defects.

· Carcinogenicity May cause cancer.

• *Reproductive toxicity Suspected of damaging the unborn child.* 

• STOT-single exposure Based on available data, the classification criteria are not met.

- **STOT-repeated exposure** Causes damage to organs through prolonged or repeated exposure.
- · Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

### · 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even extremely small quantities leak into the ground.

## **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. of page 8)

Page 9/17

EU



Printing date 27.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

(Contd. of page 9)

Page 10/17

· European waste catalogue		
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity	
HP6	Acute Toxicity	
HP7	Carcinogenic	
HP8	Corrosive	
HP10	Toxic for reproduction	
HP11	Mutagenic	

• Uncleaned packaging:

• *Recommendation:* Disposal must be made according to official regulations.

14.1 UN number or ID number ADR, IMDG, IATA	UN2810
14.2 UN proper shipping name ADR IMDG, IATA	UN2810 TOXIC LIQUID, ORGANIC, N.O.S (PHENOL, CHLOROFORM) TOXIC LIQUID, ORGANIC, N.O.S. (PHENOL CHLOROFORM)
14.3 Transport hazard class(es)	Сперкогоки)
ADR	
Class Label	6.1 (T1) Toxic substances. 6.1
IMDG, IATA	
Class	6.1 Toxic substances.
Label	6.1
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Toxic substances.

EU



Printing date 27.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Page 11/17

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25:24:1, stabilized

	(Contd. of page 1
· Hazard identification number (Kemler code):	60
· EMS Number:	F-A,S-A
· Segregation groups	Liquid halogenated hydrocarbons
· Stowage Category	В
· Stowage Code	SW2 Clear of living quarters.
· 14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
· Transport/Additional information:	
· ADR	
Limited quantities (LQ)	100 ml
Excepted quantities (EQ)	Code: E4
	Maximum net quantity per inner packaging: 1 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	100 ml
Excepted quantities $(\widetilde{E}Q)$	Code: E4
	Maximum net quantity per inner packaging: 1 ml
	Maximum net quantity per outer packaging: 500 ml

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category H2 ACUTE TOXIC

 $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t

 $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 28, 32, 72

· Regulation (EU) No 649/2012

CAS: 67-66-3 chloroform

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

(Contd. on page 12)

Annex I Part 1

EU -



Page 12/17

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

### Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

(Contd. of page 11)

### · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### • Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

#### · National regulations:

- Additional classification according to Decree on Hazardous Materials, Annex II: Carcinogenic hazardous material group III (dangerous).
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H226 Flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- H351 Suspected of causing cancer.
- H361d Suspected of damaging the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.
- EUH006 Explosive with or without contact with air.

EUH301 For use in industrial installations only.

· Department issuing SDS: Product safety department

· Contact:

*Austria German Vergiftungsinformations zentrale 01 406 43 43 http://www.goeg.at/de/VIZ Belgium French Centre antipoison 070 245 245 http://www.centreantipoisons.be* 



Printing date 27.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Page 13/17

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25:24:1, stabilized

(Contd. of page 12) Dutch Antigif centrum 070 245 245 http://www.antigifcentrum.be German Giftinformationszentrum 070 245 245 http://www.poisoncentre.be Bulgaria\* Bulgarian Токсикологични иентрове 02 9154 411 https://pirogov.eu/bg Croatia\* Croatian Centar za kontrolu otrovanja +385 1 2348 342 https://www.imi.hr/en/jedinica/poisoncontrol-centre Czech Rep Czech Toxikologické informační středisko +420 224 91 92 93; +420 224 91 54 02 http:// www.tis-cz.cz Denmark Danish Giftlinien +45 8212 1212 https://www.bispebjerghospital.dk/giftlinien Estonia Estonian Mürgistusteabekeskus 16662; +372 7943 794 https://www.16662.ee Finland Finnish Myrkytystietokeskus 0800 147 111; +358 9 471 977 http://www.hus.fi/sairaanhoito/ sairaanhoitopalvelut/myrkytystietokeskus/Sivut/default.aspx France French Angers +33 2 41 48 21 21 http://www.centres-antipoison.net/angers/index.html Bordeaux +33 5 56 96 40 80 http://www.centres-antipoison.net/bordeaux/index.html Lille +33 0800 59 59 59 http://www.centres-antipoison.net/lille/index.html Lyon +33 4 72 11 69 11 http://www.centres-antipoison.net/lyon/index.html Marseille +33 4 91 75 25 25 http://www.centres-antipoison.net/marseille/index.html Nancy +33 3 83 22 50 50 http://www.centres-antipoison.net/nancy/index.html Paris +33 1 40 05 48 48 http://www.centres-antipoison.net/paris/index.html Strasbourg +33 3 88 37 37 37 http://www.centres-antipoison.net/strasbourg/index.html Toulouse +33 5 61 77 74 47 http://www.centres-antipoison.net/toulouse/index.html Germany German Berlin +49 30 19240 https://giftnotruf.charite.de Bonn +49 228 19240 http://www.gizbonn.de/index.php?id=272 Erfurt +49 361 730730 https://www.ggiz-erfurt.de/home.html Freiburg +49 761 19240 https://www.uniklinik-freiburg.de/giftberatung.html Göttingen +49 551 19240 https://www.giz-nord.de/cms/index.php Homburg/Saar +49 6841 19240 http://www.uniklinikumsaarland.de/de/einrichtungen/ kliniken\_institute/kinder\_und\_jugendmedizin/ informations und behandlungszentrum fuer vergiftungen des saarlandes Mainz +49 6131 19240 http://www.giftinfo.uni-mainz.de/index.php?id=24807 München +49 89 19240 http://www.toxinfo.med.tum.de Greece Greek κέντρο δηλητηριάσεων +30 213 200 9000 http://www.aglaiakyriakou.gr/; http:/ /0317.syzefxis.gov.gr Hungary Hungarian Egészségügyi Toxikológiai Tájékoztató Szolgálat +36 6 80 20 11 99; +36 06 1 476 6464 http://www.okbi.hu/page.php?trid=1&dz=103 Italy Italian Bergamo +39 800 88 33 00 http://www.asst-pg23.it/section/259/Tossicologia -Centro antiveleni Firenze +39 55 794 78 19 http://www.antiveleni.altervista.org Milano +39 2 661 01 029 http://www.centroantiveleni.org Pavia +39 382 244 44 http://www-3.unipv.it/reumatologia-tossicologia/cav Napoli +39 81 747 28 70 Foggia +39 881 732 326 Roma +39 6 685 93 726 / +39 6 499 78 000 / +39 6 305 43 43http://www.corso-primo-soccorsoroma.it/centri antiveleno-lazio.html Ireland English Poisons information Centre of Ireland +353 1 809 21 66 http://www.poisons.ie/Public Latvia\* Latvian Saindēšanās informācijas centri +371 670 00 610 https://www.aslimnica.lv/lv Russian Латвия +371 67000610 https://www.aslimnica.lv/lv Lithuania Lithuanian Apsinuodijimų informacijos biuras + 370 5 236 20 52 http://www.apsinuodijau.lt Luxembourg German Giftinformationszentrum +49 800 255 00 http://www.poisoncentre.be (Contd. on page 14)

-----EU



Printing date 27.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Page 14/17

EU

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25:24:1, stabilized

(Contd. of page 13) French Centre antipoison +352 800 255 00 http://www.centreantipoisons.be Netherlands Dutch 31 (0)88 755 8 https://www.productnotificatie.nl Norway Norwegian Giftinformasjonen +47 22 59 13 00 https://helsenorge.no/Giftinformasjon Poland Polish Kraków +48 12 411 99 99 http://www.oit.cm.uj.edu.pl Gdansk +48 58 682 04 04 http://www.pctox.pl/news.php Poznań +48 61 847 69 46 http://www.raszeja.poznan.pl/oddzialy/oddzial toksykologiczny Warszawa +48 607 218 174 okzit@burdpi.pol.pl Portugal Portuguese Centro de Informação Antivenenos +351 808 250 143 http://www.inem.pt Romania Romanian CNMRMC +40 213 183 606 infotox@insp.gov.ro Spitalul Clinic de Urgenta Bucuresti +40 215 992 300 int. 291 spital@urgentafloreasca.ro Spitalul Clinic Judetean de Urgenta Targu Mures +40 265.212.111 secretariat@spitjudms.ro Russia Russian Горячая линия Министерства здравоохранения +7 495 628 4453; +7 495 627 2944 http://rospotrebnadzor.ru Serbia Serbian Nacionalni centar za kontrolu trovanja +381 11 3608 440 http://www.vma.mod.gov.rs/sr-lat/ specijalnosti/centri/nacionalni-centar-za-kontrolu-trovanja Slovak Rep Slovak Národné toxikologické informačné centrum +421 2 5477 4166 http://www.ntic.sk Spain Spanish Servicio de Información Toxicológica +34 91 562 04 20 https:// www.administraciondejusticia.gob.es/paj/pub lico/ciudadano/informacion institucional/organismos/ instituto nacional de toxicologia y ciencias fo $\Box$ renses/servicios/info toxicologica/que es sit/!ut/p/ c5/04 SB8K8xLLM9MSSzPy8xBz9CP0os3g A1cjCyd DRwMDUwNLA08nwzAvM0czA 8gM6B8pFm8mae r  $qWd\overline{Q}sImJcaiLiYGncViYa4CHr4GBiQExugIwAEd \Box CusNBrsWpwsLUACKPy3WuRvjlg83wy5sQ0G8C \Box tR$ w 8 8 n N T 9 Q t y Q y M M M j 0 z A 9 I V F Q H Y 1 8 l 4 / d l 3 / d 3 /  $L2dJQSEvUUt3QS9ZQnZ3LzZfTjBFMjhCMUEwMDUwOT \Box BJQjFWSjZBNjBPTjA!/?itemId=45381$ Sweden Swedish Giftinformationscentralen +46 10 456 6700 https://giftinformation.se Switzerland German Giftinformationszentrum 145 http://toxinfo.ch French Centre antipoison 145 http://toxinfo.ch Italian Centro Antiveleni 145 http://toxinfo.ch United Kingdom English NHS Helpline 111 NHS Helpline - England and Wales: http://www.nhs.uk/ NHSEngland/AboutNHSservices/Emergencyandurgentcareservices/Pages/NHS-111.aspx • Date of previous version: 19.10.2022 • Version number of previous version: 6 • Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative (Contd. on page 15)



Printing date 27.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

(Contd. of page 14)

Page 15/17

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25:24:1, stabilized

Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 3: Acute toxicity – Category 4 Acute Tox. 4: Acute toxicity – Category 2 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Muta. 2: Germ cell mutagenicity – Category 2 Carc. 1B: Carcinogenicity – Category 1B Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 • \* Data compared to the previous version altered.

(Contd. on page 16)



Page 16/17

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25:24:1, stabilized

(Contd. of page 15)

### Annex: Exposure scenario





### Page 17/17

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.12.2023

Version number 7 (replaces version 6)

Revision: 12.07.2023

## Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

	(Contd. of page 16)
Pregnant women should strictly avoid inhalation or skin contact.	
• Measures for consumer protection	
Ensure adequate labelling.	
Keep locked up and out of the reach of children.	
· Environmental protection measures	
· Water	
Generally, prior to the introduction of wastewater into wastewater treatment plants a required.	neutralisation is
• <b>Disposal measures</b> Ensure that waste is collected and contained.	
· Disposal procedures	
Must not be disposed together with household garbage. Do not allow product to reach sewa	ge system.
· Waste type Partially emptied and uncleaned packaging	0,
• Exposure estimation	
• Consumer Not relevant for this Exposure Scenario.	
$\cdot$ Guidance for downstream users No further relevant information available.	
	EU