

Printing date 08/14/2013

Reviewed on 08/14/2013

## **1 Identification**

· Product identifier

Trade name: Buffer D - Water/Acetonitrile 25:75

• Article number: 2127

• **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

• Application of the substance / the preparation Chemical for research, development, manufacturing and analysis

Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Biosolve B.V. Leenderweg 78, 5555 CE Valkenswaard, the Netherlands. Tel: +31-(0)40-2071300 Fax:+31-(0)40-2048537 Email: info@biosolve-chemicals.com

Biosolve Chimie 20 Rue Roger Husson, 57260 Dieuze, France Tel: +33 3 878 675 80/81/82/83/84/85 Email: info@biosolvechimie.com

Bio-Lab Ltd. POB 34038, Jerusalem 91340, Israel Tel: + 972 -2- 584 1111 Fax: + 972 -2- 584 1110 Email: info@biolab-chemicals.com

Information department: Product safety department
Emergency telephone number: During normal opening times: +972 2 584 1111

## 2 Hazard(s) identification

· Classification of the substance or mixture GHS02 Flame H225 Highly flammable liquid and vapour. GHS07 H312 Harmful in contact with skin. H332 Harmful if inhaled. H319 Causes serious eye irritation. · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Harmful Harmful by inhalation, in contact with skin and if swallowed. Irritant Irritating to eyes. Highly flammable Highly flammable. · Information concerning particular hazards for human and environment: The product has to be labeled due to the calculation procedure of international guidelines. (Contd. on page 2) USA

(Contd. of page 1)



## Safety Data Sheet acc. to OSHA HCS

Reviewed on 08/14/2013

### Trade name: Buffer D - Water/Acetonitrile 25:75

### · Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

#### · Label elements

### · Labelling according to EU guidelines:

The product has been classified and marked in accordance with directives on hazardous materials.

### · Code letter and hazard designation of product:

Harmful Highly flammable

Hazard-determining components of labeling:

Acetonitrile

#### · Risk phrases:

*Highly flammable. Harmful by inhalation, in contact with skin and if swallowed. Irritating to eyes.* 

#### · Safety phrases:

Keep out of the reach of children. Wear suitable protective clothing and gloves. If swallowed, seek medical advice immediately and show this container or label. Dispose of this material and its container to hazardous or special waste collection point.

## • Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 0

#### · HMIS-ratings (scale 0 - 4)

HEALTH 2	Health = 2
	Fire = 3
REACTIVITY 0	<i>Reactivity</i> $= 0$

• Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## **3** Composition/information on ingredients

· Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.
- **Dangerous components:** 75-05-8 Acetonitrile

🚸 H225; 🚸 H302; H312; H332; H319

50-75%

## 4 First-aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

USA



Printing date 08/14/2013

Reviewed on 08/14/2013

(Contd. of page 2)

#### Trade name: Buffer D - Water/Acetonitrile 25:75

### • After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

• *After skin contact: Generally the product does not irritate the skin.* 

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **5** Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture No further relevant information available.

- Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

**Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## 7 Handling and storage

- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles. **Specific end use(s)** No further relevant information available.

(Contd. on page 4)



Reviewed on 08/14/2013

#### Trade name: Buffer D - Water/Acetonitrile 25:75

(Contd. of page 3)

# 8 Exposure controls/personal protection • Additional information about design of technical systems: No further data; see item 7. · Control parameters • Components with limit values that require monitoring at the workplace: 75-05-8 Acetonitrile PEL Long-term value: 70 mg/m<sup>3</sup>, 40 ppm REL Long-term value: 34 mg/m<sup>3</sup>, 20 ppm TLV Long-term value: 34 mg/m<sup>3</sup>, 20 ppm Skin • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles **9** Physical and chemical properties · Information on basic physical and chemical properties **General Information** Appearance:

Form: Color: Liquid Colorless



Reviewed on 08/14/2013

#### Trade name: Buffer D - Water/Acetonitrile 25:75

	(Contd. of page
Odor:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 81 °C (178 °F)
Flash point:	5 °C (41 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	525 °C (977 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	4.4 Vol %
Upper:	16.0 Vol %
Vapor pressure at 20 °C (68 °F):	97 hPa (73 mm Hg)
Density at 20 °C (68 °F):	0.848 g/cm <sup>3</sup> (7.077 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Fully miscible.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
Water:	25.0 %
VOC content:	25.0 %
Other information	No further relevant information available.

## **10 Stability and reactivity**

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

US/



Reviewed on 08/14/2013

### Trade name: Buffer D - Water/Acetonitrile 25:75

(Contd. of page 5)

	oxicity:
LD/LC	50 values that are relevant for classification:
75-05-	3 Acetonitrile
Oral Derma	LD50 2730 mg/kg (rat) LD50 1250 mg/kg (rabbit)
on the on the Sensiti	y irritant effect: skin: No irritant effect. eye: Irritating effect. sation: No sensitizing effects known.
The pr prepar Harmfi Irritan	
The pr prepart Harmfi Irritant <b>Carcin</b>	oduct shows the following dangers according to internally approved calculation methods f ations: Il
The pr prepart Harmft Irritant <b>Carcin</b> IARC	oduct shows the following dangers according to internally approved calculation methods f ations: al o <b>genic categories</b>
The pr prepart Harmfi Irritant <b>Carcin</b> IARC None o	oduct shows the following dangers according to internally approved calculation methods f ations: al ogenic categories International Agency for Research on Cancer)

#### · Toxicity

- Aquatic toxicity: No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 7)

US/



Reviewed on 08/14/2013

#### Trade name: Buffer D - Water/Acetonitrile 25:75

(Contd. of page 6)

UN-Number		
DOT, ADR, IMDG, IATA	UN1648	
UN proper shipping name		
DOT	Acetonitrile, solution	
ADR	1648 Acetonitrile, solution	
IMDG, IATA	ACETONITRILE, solution	
Transport hazard class(es)		
DOT		
FLAMMABLE LIQUID		
3		
Class	3 Flammable liquids.	
Label	3	
ADR		
3		
Class	3 (F1) Flammable liquids	
Label	3	
IMDG, IATA		
3		
Class	3 Flammable liquids.	
Label	3	
Packing group		
DOT, ADR, IMDG, IATA	Π	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user Danger code (Kemler):	Warning: Flammable liquids 33	
EMS Number:	55 F-E,S-D	
Transport in bulk according to Ann		
MARPOL73/78 and the IBC Code	Not applicable.	

## **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

## • Section 355 (extremely hazardous substances):

None of the ingredients is listed.

## Section 313 (Specific toxic chemical listings):

75-05-8 Acetonitrile

(Contd. on page 8)

USA



Reviewed on 08/14/2013

### Trade name: Buffer D - Water/Acetonitrile 25:75

		(Contd. of pag
	bstances Control Act):	
All ingredients ar	e listed.	
Proposition 65		
<b>Chemicals know</b> None of the ingre	n to cause cancer:	
	n to cause reproductive toxicity for females:	
None of the ingre		
	n to cause reproductive toxicity for males:	
None of the ingre		
	n to cause developmental toxicity:	
None of the ingre	dients is listed.	
Carcinogenic cat	egories	
EPA (Environme	ental Protection Agency)	
75-05-8 Acetonit	rile	CBD,
TLV (Threshold	Limit Value established by ACGIH)	· · · · · ·
75-05-8 Acetonit	rile	P
NIOSH-Ca (Nati	onal Institute for Occupational Safety and Health)	
None of the ingre		
OSHA-Ca (Occu	pational Safety & Health Administration)	
None of the ingre		
Hazard symbols:	been classified and marked in accordance with directives on h Harmful Highly flammable	azaraous maieriais.
<b>Hazard-determin</b> Acetonitrile	ing components of labeling:	
<b>Risk phrases:</b> Highly flammable Harmful by inhal Irritating to eyes.	e. ation, in contact with skin and if swallowed.	
If swallowed, see Dispose of this m	each of children. otective clothing and gloves. k medical advice immediately and show this container or labe aterial and its container to hazardous or special waste collect <b>assessment:</b> A Chemical Safety Assessment has been carried o	tion point.
Other informa		

- · Department issuing MSDS: Product safety department
- · Contact: Product safety department
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 9)

USA



Reviewed on 08/14/2013

### Trade name: Buffer D - Water/Acetonitrile 25:75

(Contd. of page 8)	
ICAO: International Civil Aviation Organization	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International	
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
- USA	_