

Reviewed on 10/11/2010

1 Identification

- · Product identifier
- Trade name: Deblock TCA 3% / Toluene
- Article number: 3006
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the preparation Chemical for research, development, manufacturing and analysis
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Biosolve B.V. Leenderweg 78, 5555 CE Valkenswaard, the Netherlands. Tel: +31-(0)40-2071300 Fax:+31-(0)40-2048537 Email: info@biosolve-chemicals.com

Biosolve Chimie 20 Rue Roger Husson, 57260 Dieuze, France Tel: +33 3 878 675 80/81/82/83/84/85 Email: info@biosolvechimie.com

Bio-Lab Ltd. POB 34038, Jerusalem 91340, Israel Tel: +972 -2- 584 1111 Fax: +972 -2- 584 1110 Email: info@biolab-chemicals.com

Information department: Product safety department
 Emergency telephone number: During normal opening times: +972 2 584 1111

2 Hazard(s) identification

· Classification of the substance or mixture GHS02 Flame H225 Highly flammable liquid and vapour. GHS08 Health hazard Suspected of damaging fertility or the unborn child. H361 H373 May cause damage to organs through prolonged or repeated exposure. H304 May be fatal if swallowed and enters airways. GHS05 Corrosion H318 Causes serious eye damage. GHS07 H315 Causes skin irritation. H336 May cause drowsiness or dizziness. · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Harmful (Contd. on page 2) USA

USA



Safety Data Sheet acc. to OSHA HCS

Reviewed on 10/11/2010

Trade name: Deblock TCA 3% / Toluene

(Contd. of page 1) Harmful: danger of serious damage to health by prolonged exposure through inhalation. Possible risk of harm to the unborn child. Harmful: may cause lung damage if swallowed.
Irritant
Irritating to eyes, respiratory system and skin.
Highly flammable
Highly flammable.
Dangerous for the environment
Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Vapours may cause drowsiness and dizziness. • Information concerning particular hazards for human and environment:
The product has to be labeled due to the calculation procedure of international guidelines.
• Classification system: The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
· Label elements
• <i>Labelling according to EU guidelines:</i> The product has been classified and marked in accordance with directives on hazardous materials.
Code letter and hazard designation of product:
Harmful Highly flammable Dangerous for the environment
• Hazard-determining components of labeling: toluene
 Risk phrases: Highly flammable. Irritating to eyes, respiratory system and skin. Harmful: danger of serious damage to health by prolonged exposure through inhalation. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Possible risk of harm to the unborn child. Harmful: may cause lung damage if swallowed. Vapours may cause drowsiness and dizziness.
• Safety phrases: Keep out of the reach of children. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection
point. Wear suitable protective clothing and gloves. If swallowed, seek medical advice immediately and show this container or label. • Classification system:
· NFPA ratings (scale 0 - 4)
$\begin{array}{c} 3 \\ 2 \\ 0 \\ \end{array}$ Health = 2 Fire = 3 Reactivity = 0
HMIS-ratings (scale 0 - 4)
HEALTH*2FIRE3Fire = 3REACTIVITY0(Contd. on page 3)

(Contd. of page 2)



Safety Data Sheet acc. to OSHA HCS

Reviewed on 10/11/2010

Trade name: Deblock TCA 3% / Toluene

- Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

·	Dangerous	components:
---	-----------	-------------

990001-01-0		75-100%
	🚸 H225; 🚸 H361; H373; H304; 🕩 H315; H336	
76-03-9	trichloroacetic acid	2.5-10%
	♦ H314	

4 First-aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- *Suitable extinguishing agents:* CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Environmental precautions:
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
· Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 4)

USA



Reviewed on 10/11/2010

Trade name: Deblock TCA 3% / Toluene

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

76-03-9 trichloroacetic acid

REL Long-term value: 7 mg/m³, 1 ppm

TLV Long-term value: (6.7) NIC-3.34 mg/m³, (1) NIC-0.5 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

(Contd. of page 3)

[–] USA

(Contd. of page 4)



Safety Data Sheet acc. to OSHA HCS

Reviewed on 10/11/2010

Trade name: Deblock TCA 3% / Toluene

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and of General Information	inemicui properues
Appearance:	
Form:	Solution
Color:	Colorless to slightly yellow
Odor:	Aromatic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-95 °C (-139 °F)
Boiling point/Boiling range:	110 °C (230 °F)
Flash point:	4 °C (39 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	535 °C (995 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	1.2 Vol %
Upper:	7 Vol %
Vapor pressure at 20 °C (68 °F):	29 hPa (22 mm Hg)
Density at 20 °C (68 °F):	0.89 g/cm³ (7.427 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water at 15 °C (59 °F):	0.5 g/l
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	97.0 %
VOC content:	97.0 %
	863.3 g/l / 7.20 lb/gl
Solids content:	3.0 %

— USA

(Contd. of page 5)



Safety Data Sheet acc. to OSHA HCS

Reviewed on 10/11/2010

Trade name: Deblock TCA 3% / Toluene

• Other information

No further relevant information available.

10 Stability and reactivity

- Reactivity
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

990001-01-0 toluene	
---------------------	--

Oral	LD50	5000 mg/kg (rat)
Dermal	LD50	12124 mg/kg (rabbit)
Inhalative	LC50/4 h	5320 mg/l (mouse)

76-03-9 trichloroacetic acid

Oral	LD50	400 mg/kg (rat)

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eve: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
990001-01-0 toluene	3
76-03-9 trichloroacetic acid	3
NTP (National Toxicology Program)	

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 7)

USA

(Contd. of page 6)



Safety Data Sheet acc. to OSHA HCS

Reviewed on 10/11/2010

Trade name: Deblock TCA 3% / Toluene

Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADR, IMDG, IATA	UN1993
UN proper shipping name	
DOT ADR	Flammable liquids, n.o.s. (Toluene) 1993 Flammable liquids, n.o.s. (Toluene) ENVIRONMENTALLY HAZARDOUS
IMDG	FLAMMABLE LIQUID, N.O.S. (TOLUENE, trichloroaceti acid), MARINE POLLUTANT
IATA	FLAMMABLE LIQUID, N.O.S. (TOLUENE)
Transport hazard class(es)	
DOT	
Class Label	3 Flammable liquids. 3
ADR	
Class	3 (F1) Flammable liquids
Label	3
IMDG	
Class	3 Flammable liquids.



Reviewed on 10/11/2010

Trade name: Deblock TCA 3% / Toluene

	(Contd. of page
Label	3
IATA	
Class	3 Flammable liquids.
Label	3
Packing group	
DOT, ĂĎR, ÎMDG, IATA	11
Environmental hazards:	Product contains environmentally hazardous substances trichloroacetic acid
Marine pollutant:	Yes
	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	33
EMS Number:	<i>F-E,<u>S-E</u></i>
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	UN1993, Flammable liquids, n.o.s. (Toluene, ENVIRONMENTALLY HAZARDOUS, 3, II

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- Section 355 (extremely hazardous substances):
 - None of the ingredients is listed.
- Section 313 (Specific toxic chemical listings):
- 990001-01-0 toluene
- TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

990001-01-0 toluene

· Carcinogenic categories

· EPA (Environmental Protection Agency)

990001-01-0 toluene

76-03-9 trichloroacetic acid

D C (Contd. on page 9)

USA



Reviewed on 10/11/2010

Trade name: Deblock TCA 3% / Toluene

•	ld Limit Value established by ACGIH)	
990001-01-0		A
	richloroacetic acid	A
•	ational Institute for Occupational Safety and Health)	
None of the in	predients is listed.	
OSHA-Ca (O	cupational Safety & Health Administration)	
None of the in	predients is listed.	
	d hazard informations: Is been classified and marked in accordance with directives on hazardous materials	
Hazard symb	ls:	
×	Harmful Highly flammable Dangerous for the environment	
toluene Risk phrases: Highly flamm		
	es, respiratory system and skin.	
	er of serious damage to health by prolonged exposure through inhalation. ic organisms, may cause long-term adverse effects in the aquatic environment.	
	f harm to the unborn child.	
	cause lung damage if swallowed.	
Vapours may	ause drowsiness and dizziness.	
Safety phrase		
	e reach of children. into drains, dispose of this material and its container at hazardous or special wast	ta collacti
	mo arams, aspose of this material and its container at hazardous of special wast	
point.	protective clothing and gloves.	
	eek medical advice immediately and show this container or label.	
If swallowed,	ty assessment: A Chemical Safety Assessment has been carried out.	

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing MSDS: Product safety department

· Contact: Product safety department

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 10)

USA



Reviewed on 10/11/2010

Trade name: Deblock TCA 3% / Toluene

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent (Contd. of page 9)

USA