

Reviewed on 08/15/2013

1 Identification

· Product identifier

Trade name: Dimethylsulfoxide Water 65:35

• Article number: 2333

• **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

• Application of the substance / the preparation Chemical for research, development, manufacturing and analysis

Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Biosolve B.V. Leenderweg 78, 5555 CE Valkenswaard, the Netherlands. Tel: +31-(0)40-2071300 Fax:+31-(0)40-2048537 Email: info@biosolve-chemicals.com

Biosolve Chimie 20 Rue Roger Husson, 57260 Dieuze, France Tel: +33 3 878 675 80/81/82/83/84/85 Email: info@biosolvechimie.com

Bio-Lab Ltd. POB 34038, Jerusalem 91340, Israel Tel: +972 -2- 584 1111 Fax: +972 -2- 584 1110 Email: info@biolab-chemicals.com

Information department: Product safety department
 Emergency telephone number: During normal opening times: +972 2 584 1111

2 Hazard(s) identification

Classification of the substance or mixture

GHS07

H319 Causes serious eye irritation.

· <u>Classification according to Directive 67/548/EEC or Directive 1999/45/EC</u>

Irritant

Irritating to eyes and skin.

Information concerning particular hazards for human and environment:

The product has to be labeled due to the calculation procedure of international guidelines.

Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

· Label elements

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with directives on hazardous materials.

· Code letter and hazard designation of product:



(Contd. on page 2)



Reviewed on 08/15/2013

Trade name: Dimethylsulfaxide Water 65:35

	(Contd. of pa
Risk phrases: Irritating to eyes and skin.	
Safety phrases: Keep out of the reach of children. Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the n If swallowed, seek medical advice immediately and show this container or label. Dispose of this material and its container to hazardous or special waste collection po Classification system: NFPA ratings (scale 0 - 4)	• ,
Health = 1 Fire = 1 Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
HEALTH1Health = 1FIRE1Fire = 1REACTIVITY 0	
Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	
Composition/information on ingredients	
Chemical characterization: Mixtures Description: Mixture of the substances listed below with nonhazardous additions.	
Dangerous components:	
67-68-5 dimethyl sulfoxide	1319 50-7

· Description of first aid measures

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)



Reviewed on 08/15/2013

Trade name: Dimethylsulfoxide Water 65:35

(Contd. of page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

67-68-5 dimethyl sulfoxide

WEEL Long-term value: 250 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)



Reviewed on 08/15/2013

Trade name: Dimethylsulfoxide Water 65:35

(Contd. of page 3) Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Color:ColorlessOdor:CharacteristicOdour threshold:Not determined.pH-value:Not determined.Change in conditionUndetermined.Melting point/Boiling range:100 °C (212 °F)Flash point:95 °C (203 °F)Flash point:95 °C (203 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:270 °C (518 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:1.8 Vol %Lower:1.8 Vol %Upper:63.0 Vol %Vapor pressure at 20 °C (68 °F):23 hPa (17 mm Hg)Density at 20 °C (68 °F):1.09 g/cm³ (9.096 lbs/gal)Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility withVatermined.	Appearance:		
Odor:CharacteristicOdour threshold:Not determined.pH-value:Not determined.Charage in conditionMetting point/Metting range:Metting point/Metting range:Undetermined.Boiling point/Boiling range:100 °C (212 °F)Flash point:95 °C (203 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:270 °C (518 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:1.8 Vol %Lower:1.8 Vol %Upper:63.0 Vol %Vapor pressure at 20 °C (68 °F):23 hPa (17 mm Hg)Density at 20 °C (68 °F):1.09 g/cm³ (9.096 lbs/gal)Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility withVatermined.	Form:	Liquid	
OdourNot determined. PH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range:Undetermined. 100 °C (212 °F)Flash point:95 °C (203 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:270 °C (518 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:1.8 Vol % 63.0 Vol %Vapor pressure at 20 °C (68 °F):23 hPa (17 mm Hg)Density at 20 °C (68 °F):1.09 g/cm³ (9.096 lbs/gal) Relative densityRelative densityNot determined.Solubility in / Miscibility with			
pH-value: Not determined. Change in condition Undetermined. Melting point/Melting range: Undetermined. Boiling point/Boiling range: 100 °C (212 °F) Flash point: 95 °C (203 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 270 °C (518 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: 1.8 Vol % Lower: 1.8 Vol % Upper: 63.0 Vol % Vapor pressure at 20 °C (68 °F): 23 hPa (17 mm Hg) Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal) Relative density Not determined. Vapour density Not determined. Vapour density Not determined. Solubility in / Miscibility with Vatermined.			
Change in condition Melting point/Melting range:Undetermined. 100 °C (212 °F)Flash point:95 °C (203 °F)Flash point:95 °C (203 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:270 °C (518 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:1.8 Vol % (Upper:Vapor pressure at 20 °C (68 °F):23 hPa (17 mm Hg)Density at 20 °C (68 °F):1.09 g/cm³ (9.096 lbs/gal) Not determined.Vapour density Vapour densityNot determined.Solubility in / Miscibility with	Odour threshold:	Not determined.	
Melting point/Melting range: Boiling point/Boiling range:Undetermined. 100 °C (212 °F)Flash point:95 °C (203 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:270 °C (518 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:1.8 Vol % 63.0 Vol %Vapor pressure at 20 °C (68 °F):23 hPa (17 mm Hg)Density at 20 °C (68 °F):1.09 g/cm³ (9.096 lbs/gal) Not determined.Kelative density Vapour densityNot determined.Solubility in / Miscibility with	pH-value:	Not determined.	
Boiling point/Boiling range:100 °C (212 °F)Flash point:95 °C (203 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:270 °C (518 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:1.8 Vol %Lower:1.8 Vol %Upper:63.0 Vol %Vapor pressure at 20 °C (68 °F):23 hPa (17 mm Hg)Density at 20 °C (68 °F):1.09 g/cm³ (9.096 lbs/gal)Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with	Change in condition		
Flash point:95 °C (203 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:270 °C (518 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:1.8 Vol %Lower:1.8 Vol %Upper:63.0 Vol %Vapor pressure at 20 °C (68 °F):23 hPa (17 mm Hg)Density at 20 °C (68 °F):1.09 g/cm³ (9.096 lbs/gal)Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with	Melting point/Melting range:	Undetermined.	
Flammability (solid, gaseous):Not applicable.Ignition temperature:270 °C (518 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:1.8 Vol %Lower:1.8 Vol %Upper:63.0 Vol %Vapor pressure at 20 °C (68 °F):23 hPa (17 mm Hg)Density at 20 °C (68 °F):1.09 g/cm³ (9.096 lbs/gal)Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with	Boiling point/Boiling range:	100 °C (212 °F)	
Ignition temperature:270 °C (518 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Is Vol %Lower:1.8 Vol %Upper:63.0 Vol %Vapor pressure at 20 °C (68 °F):23 hPa (17 mm Hg)Density at 20 °C (68 °F):1.09 g/cm³ (9.096 lbs/gal)Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with	Flash point:	95 °C (203 °F)	
Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:I.8 Vol %Lower:1.8 Vol %Upper:63.0 Vol %Vapor pressure at 20 °C (68 °F):23 hPa (17 mm Hg)Density at 20 °C (68 °F):1.09 g/cm³ (9.096 lbs/gal)Relative densityNot determined.Vapour densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	Flammability (solid, gaseous):	Not applicable.	
Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Image: 1.8 Vol % Lower: 1.8 Vol % Upper: 63.0 Vol % Vapor pressure at 20 °C (68 °F): 23 hPa (17 mm Hg) Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined.	Ignition temperature:	270 °C (518 °F)	
Danger of explosion:Product does not present an explosion hazard.Explosion limits:I.8 Vol %Lower:1.8 Vol %Upper:63.0 Vol %Vapor pressure at 20 °C (68 °F):23 hPa (17 mm Hg)Density at 20 °C (68 °F):1.09 g/cm³ (9.096 lbs/gal)Relative densityNot determined.Vapour densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	Decomposition temperature:	Not determined.	
Explosion limits: 1.8 Vol % Lower: 1.8 Vol % Upper: 63.0 Vol % Vapor pressure at 20 °C (68 °F): 23 hPa (17 mm Hg) Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal) Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Vapour density	Auto igniting:	Product is not selfigniting.	
Lower:1.8 Vol %Upper:63.0 Vol %Vapor pressure at 20 °C (68 °F):23 hPa (17 mm Hg)Density at 20 °C (68 °F):1.09 g/cm³ (9.096 lbs/gal)Relative densityNot determined.Vapour densityNot determined.Vaporation rateNot determined.Solubility in / Miscibility with	Danger of explosion:	Product does not present an explosion hazard.	
Upper:63.0 Vol %Vapor pressure at 20 °C (68 °F):23 hPa (17 mm Hg)Density at 20 °C (68 °F):1.09 g/cm³ (9.096 lbs/gal)Relative densityNot determined.Vapour densityNot determined.Vaporation rateNot determined.Solubility in / Miscibility with	Explosion limits:		
Vapor pressure at 20 °C (68 °F): 23 hPa (17 mm Hg) Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal) Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Value	Lower:	1.8 Vol %	
Density at 20 °C (68 °F):1.09 g/cm³ (9.096 lbs/gal)Relative densityNot determined.Vapour densityNot determined.Vaporation rateNot determined.Solubility in / Miscibility with	Upper:	63.0 Vol %	
Relative densityNot determined.Vapour densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
Relative densityNot determined.Vapour densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	Density at 20 °C (68 °F):	1.09 g/cm ³ (9.096 lbs/gal)	
Evaporation rate Not determined. Solubility in / Miscibility with Image: Constraint of the second s			
Evaporation rate Not determined. Solubility in / Miscibility with Image: Constraint of the second s	Vapour density	Not determined.	
		Not determined.	
Water Fully misciple	Solubility in / Miscibility with		
	Water:	Fully miscible.	

— USA



Reviewed on 08/15/2013

Trade name: Dimethylsulfoxide Water 65:35

		(Contd. of page 4
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	65.0 %	
Water:	35.0 %	
VOC content:	65.0 %	
	1145.5 g/l / 9.56 lb/gl	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- *Conditions to avoid* No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

67-68-5 dimethyl sulfoxide

Oral LD50 14500 mg/kg (rat)

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

_ . .

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 6)

USA



Printing date 08/15/2013

Reviewed on 08/15/2013

(Contd. of page 5)

Trade name: Dimethylsulfoxide Water 65:35

• Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	Void
Packing group DOT, ADR, IMDG, IATA	Void
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	-

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 7)

USA



Reviewed on 08/15/2013

Trade name: Dimethylsulfoxide Water 65:35

	(Contd. of page 6)
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
• TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

· Product related hazard informations:

The product has been classified and marked in accordance with directives on hazardous materials.

· Hazard symbols:



· Risk phrases:

Irritating to eyes and skin.

· Safety phrases:

Keep out of the reach of children.

Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

If swallowed, seek medical advice immediately and show this container or label.

- Dispose of this material and its container to hazardous or special waste collection point.
- Chemical safety assessment: A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing MSDS: Product safety department

- **Contact:** Product safety department
- Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organization ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)



Reviewed on 08/15/2013

Trade name: Dimethylsulfoxide Water 65:35

NFPA: National Fire Protection Association (USA) HTTM: Hatohar The Protection Association (OSA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

(Contd. of page 7)

USA